

**Washroom
Accessories**



TURN YOUR WASHROOM INTO A SHOWROOM WITH THE NEW ASI

Welcome to the new ASI—the world’s leading manufacturer of commercial washroom accessories. So what makes ASI so unique? For starters, we offer the most comprehensive selection of washroom accessories available anywhere. And we offer them from one source. We design, engineer and manufacture all of our products to work together seamlessly. Welcome to choice, welcome to innovations, welcome to the new ASI.

How to use this brochure:

This brochure offers two ways to navigate our comprehensive portfolio of washroom accessories:

- 1 **Navigate by collections**—a family of complementary-designed products, see pages 6 & 7.
- 2 **Navigate by specific product category**, see pages 8 & 9.





SO WHY CHOOSE US? THE ANSWER IS SIMPLE

Only ASI designs, engineers and manufactures fully integrated washroom accessories, partitions and lockers from one source.

A wide variety of baby safe solutions

Tested with up to 350 lb. load capacity—the highest in the industry.

Endless options in lockers

A wide range of colors and materials including steel, solid plastic and phenolic.

From towel dispensers to hand dryers and much more

ASI offers the largest collection of hand dryers, paper towel dispensers and washroom accessories in the industry.

1 No other manufacturer can do it all—it's that simple

Only ASI offers the most complete collection of products for the modern washroom.

2 Stability—peace-of-mind one warranty

Why juggle multiple manufacturers' warranties when you can have just one? With ASI you have the peace of mind that comes with dealing with a leader.

The industry's most cutting-edge soap dispensers

From single dispensers to multi-feed systems, only ASI offers the easiest soap dispensers to install and maintain.



A wide array of mirror options

ASI offers mirrors for every application. Choose from channel frame, frameless, angle frame and tilting mirrors.

7 And much, much more

This is just the beginning of what ASI has to offer. And if you need a product you don't see here, just call us at 914.476.9000 or visit www.asigroup.us.

6 Technology innovations—ASI Access

Our 24/7 Customer Service Tool to create and track orders; to enter quotes and convert quotes to orders and to view invoices.

5 For discerning customers with prestigious projects

Our washroom accessories are featured in some of the world's most prominent projects. Whether you are in AT&T Stadium in Dallas or Lincoln Center in NY, chances are you've seen ASI.

Shower seats

A wide variety of folding and fixed shower seats that are easy to install and meet ADA safety standards.

3 Our innovations come from listening to your needs

At a recent professional sports complex, an architect wanted a specific product. We customized and delivered hundreds of one-of-a-kind soap dispensing systems to meet their deadline.

4 48-hour delivery—no one beats that

We are laser focused on delivering you exactly what you need—when you need it. Visit americanspecialties.com and view our Never Out Program.

The latest collection of partitions

ASI offers the most comprehensive collection of plastic, plastic laminate, powder coated, phenolic and stainless steel partitions from one source.

FOUR DISTINCT COLLECTIONS TO MATCH ANY AESTHETIC AND PERFORMANCE NEED



1 **Roval™** Collection

This elegant, durable and exceptionally functional collection is engineered for high-profile settings. Subtle curves, one-piece seamless doors and flush tumbler locks, along with fully removable waste cans, strong hinges, an integral locking system and easy installation, make this collection ideal for the most aesthetically demanding applications.



2 **Profile** Collection

This visually appealing collection with rounded edges is manufactured with highly durable 16 gauge stainless steel doors and 20 gauge cabinets. Concealed heavy-duty $\frac{3}{16}$ " (5 mm) diameter piano hinges ensure smooth and long-lived operation, and rimless keyed-alike flush tumbler locks offer strong security with an elegant look.

While ASI offers hundreds of individual accessories, we have simplified the specifying process with our four distinct collections to serve your project's individual needs.

And each of our four collections was designed as a suite of products that complement one another. Welcome to aesthetics and function in perfect harmony. Welcome to the new ASI.



3 **Simplicity** Collection

This elegant collection combines seamless construction and crisp design lines to provide strength and comfort, beauty and durability, form and function. 18 gauge doors and 20 gauge cabinets conceal heavy-duty $\frac{3}{16}$ " (5 mm) diameter piano hinges. All units are keyed alike.



4 **Traditional** Collection

The traditional collection has easily passed the test of time. These high-value products feature 22 gauge double-pan doors incorporating a "no-flex" structural fiberboard core. 22 gauge cabinets, heavy-duty $\frac{3}{16}$ " (5 mm) diameter piano hinges and keyed-alike tumbler locks complete this broad product line.

OUR PRODUCTS

WELCOME TO THE SINGLE LARGEST COLLECTION OF WASHROOM ACCESSORIES ANYWHERE—BAR NONE

Why mix and match disparate washroom accessory products from different manufacturers, when our company has designed, engineered and manufactured everything you need from one source? Welcome to simplicity. Welcome to the new ASI.



P. 42

Hand Dryers



P. 46

Soap Dispensers



P. 50

Mirrors



P. 52

Feminine Hygiene Vendors and Disposals



P. 54

Specialty Accessories



P. 60

Toilet Tissue Dispensers



P. 66

Grab Bars



P. 68

Shower/Tub Accessories




P. 72

Baby Changing Stations



P. 76

Shelves



P. 78

Custodial Accessories



P. 80

Healthcare Accessories



P. 84

Hospitality Accessories



P. 90

Security Accessories

SHOWN: 20469 RECESSED
PAPER TOWEL DISPENSER
AND WASTE RECEPTACLE



Roval™ Collection

Engineered for high-profile settings, this collection adds elegance, durability and exceptional functionality to any washroom without becoming the focal point.


This collection is ideal for the most aesthetically demanding applications. All features are functionally superior, quickly installed and easily maintained.

WHAT MAKES THE ROVAL™ COLLECTION UNIQUE?




STAINLESS STEEL CONSTRUCTION

Our collection is constructed of stainless steel, which is tough, durable, stain-resistant and easy to clean.



INTEGRAL LOCKING SYSTEM

Our durable, integral locking system prevents tampering and theft.



STAKED PIANO HINGES

Our heavy-duty, staked piano hinges provide security and a neat appearance, and they stand up to heavy use.



REMOVABLE WASTE RECEPTACLE

Fully removable waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

ROVAL™ COLLECTION PRODUCTS



MANUAL AND AUTOMATIC PAPER TOWEL/ TOILET TISSUE DISPENSERS



MIRRORS



AUTOMATIC HAND DRYERS



**204623 RECESSED PAPER TOWEL DISPENSER AND
REMOVABLE WASTE RECEPTACLE**

Dispenses 350 C-fold, 475 multi-fold paper towels. 3.0 gal. (11.2 L) removable stainless steel waste receptacle with a tumbler lock. 22 gauge type 304 stainless steel door in a satin finish with a flush lock and a heavy-duty $\frac{3}{16}$ " staked piano hinge on door.

MODEL OPTIONS:

204623-9 Collar for surface mounting.

Unit Size:

12 $\frac{3}{4}$ " x 28" x 6 $\frac{1}{2}$ "
(325 x 710 x 165 mm)

Wall Opening:

11 $\frac{1}{4}$ " x 26 $\frac{7}{16}$ " x 3 $\frac{15}{16}$ "
(286 x 672 x 100 mm)



**20469 RECESSED PAPER TOWEL DISPENSER
AND WASTE RECEPTACLE**

Dispenses 600 C-fold or 800 multi-fold paper towels. 14.8 gal. (56 L) removable waste receptacle. Door made of 18 gauge type 304 stainless steel with a heavy-duty $\frac{3}{16}$ " staked piano hinge.

MODEL OPTIONS:

20469-9 Collar for surface mounting.

Unit Size:

17 $\frac{3}{8}$ " x 56 $\frac{1}{16}$ " x 9"
(441 x 1424 x 228 mm)

Wall Opening:

15 $\frac{5}{8}$ " x 54 $\frac{3}{8}$ " x 4"
(397 x 1381 x 102 mm)



204692A AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Fabricated of 18 gauge type 304 stainless steel. 17.8 gal. (67.2 L) removable waste receptacle.

Unit Size:
17³/₈" x 56¹/₁₆" x 10"
(441 x 1424 x 254 mm)

Wall Opening:
15¹³/₁₆" x 54¹¹/₁₆" x 10"
(402 x 1389 x 254 mm)



2046921A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE FOR ADA COMPLIANCE

Smaller waste receptacle, 13.5 gal. (51.1 L), allows unit to be ADA compliant. Internal shelf is ideal for paper towel storage.

Unit Size:
17³/₈" x 56¹/₁₆" x 10"
(441 x 1424 x 254 mm)

Wall Opening:
15¹³/₁₆" x 54¹¹/₁₆" x 10"
(402 x 1389 x 254 mm)



20826 SURFACE MOUNTED WASTE RECEPTACLE

Receptacle front and sides fabricated of 20 gauge type 304 stainless steel with satin finish. Capacity 12.8 gal. (48.8 L).

Overall Dimensions:

15¹/₆" x 23" x 8¹/₂"
(384 x 584 x 216 mm)

MODEL OPTIONS:

20826-T Closed top, spring-loaded door. Capacity 12.8 gal. (48.8 L).



20458 SEMI-RECESSED REMOVABLE WASTE RECEPTACLE

Easy maintenance—removable stainless steel waste receptacle locks into cabinet with a tumbler lock for security. Capacity 11.2 gal. (42.6 L). Fabricated of 20 gauge type 304 stainless steel with satin finish.

Overall Dimensions:

17³/₈" x 27³/₄" x 8¹/₂"
(441 x 705 x 227 mm)



20852 SURFACE MOUNTED SANITARY WASTE RECEPTACLE

Lid and cabinet are each drawn one-piece construction. Lid is secured to the cabinet with a heavy-duty ⁵/₆₄" multi-staked concealed piano hinge.

Overall Dimensions:

7¹/₄" x 10" x 3¹/₂"
(185 x 253 x 89 mm)



20470 RECESSED SANITARY NAPKIN DISPOSAL

Heavy-duty ⁵/₆₄" staked piano hinge adds to the robust construction. Drawn one-piece seamless door of 22 gauge type 304 stainless steel with a satin finish. 1.0 gal. (3.7 L) waste capacity.

Overall Dimensions:

12¹/₁₆" x 11" x 5⁷/₁₆"
(325 x 280 x 138 mm)



20452 PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. Door fabricated of 18 gauge type 304 drawn one-piece stainless steel with satin finish. Door secured with $\frac{3}{16}$ " staked piano hinge and flush tumbler lock.

Overall Dimensions:
 $12\frac{3}{4}$ " x 28 " x $5\frac{7}{16}$ "
 (324 x 711 x 137 mm)



204523A RECESSED AUTOMATIC ROLL PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel with satin finish. Towels are dispensed one length at a time automatically when hands are placed in sensor zone until supply is depleted.

Overall Dimensions:
 $17\frac{3}{8}$ " x $27\frac{3}{4}$ " x $11\frac{11}{16}$ "
 (441 x 705 x 297 mm)



20210 PAPER TOWEL DISPENSER

Dispenses 400 C-fold or 525 multi-fold paper towels. Fabricated of 22 gauge type 304 stainless steel with satin finish. Fitted with tumbler lock and heavy-duty stainless steel staked piano hinge.

Overall Dimensions:
 $11\frac{1}{16}$ " x $13\frac{9}{16}$ " x $4\frac{7}{8}$ "
 (281 x 345 x 124 mm)



20030 SURFACE MOUNTED TWIN HIDE-A-ROLL TOILET TISSUE DISPENSER

Holds 2 rolls up to 5.25" (133 mm) diameter (double roll capacity 3600 sheets); top roll automatically drops in place when bottom roll is used up. Type 304 satin finish stainless steel cabinet and mechanism. Theft-resistant spindles with integral plated steel endpins. Model 20031 comes with flange for semi-recessing.

Overall Dimensions:
 $6\frac{1}{16}$ " x $12\frac{1}{8}$ " x $6\frac{1}{2}$ "
 (154 x 308 x 165 mm)



 **9013 RECESSED STAINLESS STEEL BABY CHANGING STATION**

ADA-compliant unit features welded stainless steel construction for long and reliable use. Includes easy one-handed pull handle and concealed damped gas spring. The changing surface is high-impact-resistant plastic with a gloss finish for easy cleaning. Comes with a two-part adjustable safety strap and a 400 lb. (181 kg) load capacity to assure child protection.

Overall Dimensions:

Open: 37" x 25¹/₂" x 17³/₄" (940 x 648 x 451 mm) Closed: 37" x 25¹/₂" x 1¹/₄" (940 x 648 x 6 mm)

Wall Opening:

34¹/₄" x 22³/₄" x 3³/₄" (870 x 578 x 95 mm)



9343 HORIZONTAL SOAP DISPENSER

All-purpose soap valve. Unbreakable refill window, concealed fastening and hinged filler-top for vandal resistance. Capacity: 48 oz. (1.4 L).

Overall Dimensions:

7¹/₄" x 6¹/₂" x 3¹¹/₁₆" (185 x 163 x 94 mm)

Spout Projection: 1⁵/₁₆" (24 mm)



204684 RECESSED DUAL SANITARY NAPKIN AND TAMPON DISPENSER

Dispenses 31 napkins and 22 tampons. Door made of 18 gauge type 304 satin finish stainless steel, with two flush tumbler locks. Universal coin mechanism is convertible for 25 cents, 50 cents or free (no coin) operation. Coin boxes have different lock and key than doors.

Overall Dimensions:

17⁵/₁₆" x 27³/₄" x 5⁵/₈" (440 x 705 x 143 mm)

MODEL OPTIONS:

204684-9 Collar for surface mounting.



20477-SM SURFACE MOUNTED SEAT COVER DISPENSER

Dispenses 250 seat covers. Fabricated of 20 gauge type 304 stainless steel with a satin finish.

Overall Dimensions:

15³/₄" x 11" x 2³/₈" (400 x 280 x 60 mm)

ROVAL™ COLLECTION



20199 ROVAL RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty.

Decibel Level: 69 dB-A @ 2M



White
(also available)

20200 TRI-Umph™ HIGH-SPEED HAND DRYER

Satin look cover: ABS plastic with silver ions. Ergonomic—no need to bend over or bend knees. Air blows down and back from vents on one side. No water splash-back. Ultra hygienic—over 99% of airborne bacteria is eliminated with the removable Super Filter System. 5-year warranty.

Decibel Level: 65-69.8 dB-A @ 2M

MODEL OPTIONS:
20201 White finish



20655 ROVAL™ STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

The gently radiused edges provide added strength and complement the curves of the ASI Roval™ Collection. Mirror frame and 6" wide curved edge shelf are fabricated of 18 gauge type 304 stainless steel with satin finish. Mirror frame has polished seamless mitered corners and 0.25" (6.4 mm) thick plate glass mirror. Warrantied for 15 years against silver spoilage. Choice of sizes.



20692 SURFACE MOUNTED SHELF

Fabricated of 18 gauge type 304 stainless steel, the 6" wide shelf has a 3/4" (19 mm) gently radiused edge that uniquely complements the curves of the ASI Roval™ Collection. Choice of sizes.

Overall Dimensions:
6" x 12"-72"
(152 x 305-1829 mm)

SHOWN: 9469 PAPER TOWEL
DISPENSER AND
WASTE RECEPTACLE




Profile Collection

Manufactured with highly durable stainless steel doors and cabinets, this visually appealing collection with rounded edges stands the test of time.


Its concealed hinges ensure smooth and long-lived operation, and its locks offer strong security.

WHAT MAKES THE PROFILE COLLECTION UNIQUE?




HEAVY DUTY

Our 16 gauge stainless steel doors are attached to 20 gauge stainless steel cabinets with concealed $\frac{3}{16}$ " (5 mm) diameter piano hinges to handle heavy use.



RIMLESS TUMBLER LOCKS

Our rimless flush tumbler locks that are keyed alike provide convenience and security with an elegant look.



ROUNDED CORNERS

All doors have vertical edges rounded to a $\frac{3}{4}$ " (19 mm) radius with welded corners for strength and to ensure no sharp edges for safety.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

PROFILE COLLECTION PRODUCTS



MULTI-PURPOSE CABINETS



PAPER TOWEL DISPENSERS



WASTE RECEPTACLES



9469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 15.6 gal. (59 L) waste receptacle.

Unit Size:
 $17\frac{1}{4}'' \times 56'' \times 5\frac{3}{16}''$
 (440 x 1420 x 132 mm)

Wall Opening:
 $15\frac{3}{4}'' \times 54\frac{1}{2}'' \times 4''$
 (400 x 1384 x 102 mm)



9462 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold or 1100 single-fold paper towels. 9 gal. (34 L) stainless steel waste receptacle.

Unit Size:
 $17\frac{1}{4}'' \times 54'' \times 6\frac{15}{16}''$
 (438 x 1372 x 176 mm)

Wall Opening:
 $15\frac{3}{4}'' \times 52\frac{1}{2}'' \times 6''$
 (400 x 1334 x 152 mm)



9467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 900 multi-fold paper towels. 5 gal. (18.9 L) stainless steel waste receptacle.

MODEL OPTIONS:

94676 6" (150 mm) deep to also dispense 1100 single-fold towels and has push door and 7 gal. (26.5 L) capacity.

9467

Unit Size:
13" x 55" x 5³/₁₆"
(330 x 1397 x 132 mm)

Wall Opening:
11¹/₂" x 53¹/₂" x 4¹/₄"
(290 x 1360 x 110 mm)

94676

Unit Size:
13" x 55" x 7³/₁₆"
(330 x 1397 x 173 mm)

Wall Opening:
11¹/₂" x 53¹/₂" x 6¹/₄"
(290 x 1360 x 110 mm)



94696A AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 10 gal. (37.8 L) stainless steel waste receptacle. Battery operated (4) D-size.

MODEL OPTIONS:

94696 Mechanical lever paper towel dispenser.

Unit Size:
16⁷/₁₆" x 41¹/₄" x 10¹¹/₁₆"
(410 x 1050 x 225 mm)

Wall Opening:
14⁵/₈" x 39³/₄" x 10"
(371 x 1010 x 254 mm)



94623 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels and has a built-in 2 gal. (7.6 L) stainless steel waste receptacle.

Unit Size: 14¹/₄" x 28" x 4¹⁵/₁₆"
(360 x 710 x 125 mm) **Wall Opening:** 12³/₄" x 26¹/₂" x 4¹/₄"
(325 x 670 x 110 mm)



9452 PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels.

Unit Size: 14¹/₄" x 28" x 4¹⁵/₁₆"
(360 x 710 x 125 mm) **Wall Opening:** 12³/₄" x 26¹/₂" x 4¹/₄"
(324 x 673 x 108 mm)



9457 PAPER TOWEL DISPENSER

Dispenses 350 C-fold or 475 multi-fold paper towels.

Unit Size: 12³/₄" x 17¹/₄" x 4¹⁵/₁₆"
(324 x 438 x 125 mm) **Wall Opening:** 11¹/₄" x 15³/₄" x 4¹/₄"
(286 x 400 x 102 mm)



9459 WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a self-closing panel that covers its opening.

Unit Size: 14¹/₄" x 28" x 4¹⁵/₁₆"
(326 x 711 x 125 mm) **Wall Opening:** 12³/₄" x 26¹/₂" x 4¹/₄"
(325 x 675 x 110 mm)



9474 WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (45.4 L) of washroom waste materials.

Unit Size: 17¹/₄" x 40" x 7³/₁₆"
(438 x 1016 x 183 mm) **Wall Opening:** 15³/₄" x 38¹/₂" x 6¹/₄"
(400 x 980 x 160 mm)



9468 DUAL NAPKIN/TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons using 25¢, 50¢ or free operation. Its door has 2 tumbler locks. Its inside coin box has a separately keyed lock.

Model **94684** designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size: 17¹/₄" x 27¹/₄" x 6¹⁵/₁₆"
(440 x 690 x 175 mm) **Wall Opening:** 16" x 26" x 6¹/₄"
(406 x 660 x 159 mm)



9471 SANITARY NAPKIN DISPOSAL

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size: 10⁵/₈" x 19⁵/₈" x 4¹⁵/₁₆" (270 x 498 x 125 mm)
Wall Opening: 9¹/₈" x 18¹/₈" x 4¹/₄" (232 x 460 x 108 mm)



9326 LIQUID SOAP DISPENSER

Dispenser has a covered stainless steel soap tank attached to the door, which hinges out for easy filling and cleaning. Its all-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 52 fl. oz. (1.5 L).

Unit Size: 10¹/₄" x 6" x 7³/₁₆" (260 x 152 x 193 mm)
Wall Opening: 9" x 4⁷/₈" x 4¹/₄" (230 x 125 x 110 mm)
 Spout Projection: 2¹/₄" (57 mm)



9343 SURFACE MOUNTED SOAP DISPENSER

All-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 48 fl. oz. It has an unbreakable refill window with concealed fastening and vandal-resistant hinged filler-top.

Overall Dimensions: 7¹/₄" x 6¹/₂" x 3¹¹/₁₆" (185 x 163 x 94 mm)
 Spout Projection: 1⁵/₁₆" (24 mm)



9477 TOILET SEAT COVER DISPENSER

Dispenses 500 seat covers.

9477-SM Surface mounted.

Unit Size: 17¹/₄" x 12³/₄" x 3⁵/₁₆" (438 x 324 x 73 mm)
Wall Opening: 15³/₄" x 11¹/₂" x 2⁵/₈" (400 x 290 x 65 mm)



9030 SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER

Type 304 stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to 5¹/₄" (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Overall Dimensions: 6" x 12" x 6¹/₂" (150 x 300 x 165 mm)



9031 RECESSED DUAL ROLL TOILET TISSUE DISPENSER

Type 304 stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to 5¹/₄" (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Overall Dimensions: 6" x 12" x 6¹/₂" (150 x 300 x 165 mm) with flange for recessing

SHOWN: 6467 PAPER TOWEL
DISPENSER AND
WASTE RECEPTACLE



Simplicity Collection

Combining seamless construction and crisp design lines, this elegant collection provides strength, comfort, beauty and durability.


All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

WHAT MAKES THE SIMPLICITY COLLECTION UNIQUE?




STAINLESS STEEL CONSTRUCTION

Doors are fabricated with 18 gauge stainless steel for 20 gauge cabinets, which are attached with concealed $\frac{3}{16}$ " (5 mm) diameter piano hinges for durability.



SEAMLESS ONE-PIECE COVER-ALL DOOR

The door is designed for a sleek and streamlined appearance, making it easy to maintain even with heavy use.



SAFE EASY DISPENSING

Towel dispensers have hemmed opening for safe, easy dispensing, minimizing waste and ensuring hygienic use.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

SIMPLICITY COLLECTION PRODUCTS



PAPER TOWEL DISPENSERS



FEMININE HYGIENE VENDORS



SOAP DISPENSERS



6462 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 800 multi-fold, or 600 C-fold towels, standard. Provided adapter allows the flexibility to change the capacity to up to 1,100 single-fold paper towels. 9 gal. (34 L) stainless steel waste receptacle.

MODEL OPTIONS:

6462-2 Stainless steel collar for semi-recessing in 4" (102 mm) walls.

6462-9 Stainless steel collar for surface mounting.

Unit Size:

17¹/₄" x 54" x 6¹/₂"
(438 x 1372 x 165 mm)

Wall Opening:

15³/₄" x 52¹/₂" x 6"
(400 x 1335 x 150 mm)



6467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 5 gal. (18.9 L) stainless steel waste receptacle.

MODEL OPTIONS:

6467-9 Stainless steel collar for surface mounting.

Unit Size:

13" x 55" x 4³/₄"
(330 x 1397 x 121 mm)

Wall Opening:

11¹/₂" x 53¹/₂" x 4¹/₄"
(290 x 1360 x 110 mm)



64676 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-Fold, 800 multi-fold or 1100 single-fold towels. 7 gal. (26.5 L) stainless steel waste receptacle.

MODEL OPTIONS:

64676-2 Stainless steel collar for semi-recessing in 4" (102 mm) walls.

64676-9 Stainless steel collar for surface mounting.

Unit Size:

13" x 55" x 6 1/2"
(330 x 1397 x 145 mm)

Wall Opening:

11 1/2" x 53 1/2" x 6 1/4"
(290 x 1360 x 160 mm)



64672 RECESSED COMBO THREE-IN-ONE

Three-in-one paper towel dispenser with waste receptacle and high-speed automatic hand dryer. Quick drying—less than 15 seconds. Dispenses 500 standard multi-fold or 400 standard C-fold paper towels and shall have a waste capacity of 6.8 gal (26 L). Durable 20 gauge stainless steel cover has a satin finish. Dryer has 5-year warranty.

Unit Size:

15 5/8" x 55 5/8" x 7 1/2"
(391 x 1407 x 191 mm)

Wall Opening:

14 3/32" x 54 3/8" x 7 1/4"
(358 x 1381 x 184 mm)



0134 TURBO-TUFF

Quick drying, <15 seconds, operates automatically using infrared sensor with auto-resetting thermostat. Owner-adjustable air speed & temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. ADA compliant.

Unit Size:
 $12^{19}/_{32}$ " x $15^3/_{16}$ " x $4^1/_{16}$ "
 (320 x 400 x 103 mm)

Wall Opening:
 $12^5/_{16}$ " x $15^3/_{16}$ " x $3^7/_{8}$ "
 (313 x 386 x 98 mm)



64623 RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels. 2 gal. (7.6 L) stainless steel waste receptacle.

MODEL OPTIONS:

64623-9 Stainless steel collar for surface mounting.

Unit Size:
 $14^1/4$ " x 28 " x $4^3/4$ "
 (362 x 711 x 121 mm)

Wall Opening:
 $12^3/4$ " x $26^1/2$ " x $4^1/4$ "
 (324 x 673 x 108 mm)



64696 ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Mechanically dispenses 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls in pre-set lengths of 2½", 4" or 5" (65, 100 or 125 mm) per stroke. 8.6 gal. (32.6 L) stainless steel waste receptacle.

MODEL OPTIONS:

64696-6 Stainless steel collar for semi-recessing in 4" (102 mm) walls.

64696-9 Stainless steel collar for surface mounting.

Unit Size:

16½" x 41¼" x 9⅝"
(408 x 1048 x 245 mm)

Wall Opening:

14⅝" x 39¾" x 9¼"
(371 x 1010 x 235 mm)



64696A AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 8.6 gal. (32.6 L) stainless steel waste receptacle. Battery operated (4) D-size.

MODEL OPTIONS:

64696A-6 Stainless steel collar for semi-recessing in 4" (102 mm) walls.

64696A-9 Stainless steel collar for surface mounting.

Unit Size:

16½" x 41¼" x 10¼"
(408 x 1048 x 261 mm)

Wall Opening:

14⅝" x 39¾" x 10"
(371 x 1010 x 254 mm)



6457 PAPER TOWEL DISPENSER

Well-suited for the smaller washroom with less space and traffic, this unit dispenses 350 C-fold or 475 multi-fold paper towels.

Unit Size:
12³/₄" x 17¹/₄" x 4¹/₂"
(324 x 438 x 114 mm)

Wall Opening:
11¹/₄" x 15³/₄" x 4¹/₄"
(290 x 400 x 110 mm)



6452 PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels.

Unit Size:
14¹/₄" x 28" x 4¹/₂"
(362 x 711 x 114 mm)

Wall Opening:
12³/₄" x 26¹/₂" x 4¹/₄"
(325 x 670 x 110 mm)

MODEL OPTIONS:

6452-9 Stainless steel collar for surface mounting.



6459 WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a self-closing panel that covers its opening.

Unit Size:
14¹/₄" x 28" x 4¹/₂"
(362 x 711 x 114 mm)

Wall Opening:
12³/₄" x 26¹/₂" x 4¹/₄"
(325 x 675 x 110 mm)



6474 WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (45.4 L) of washroom waste materials.

Unit Size:
17¹/₄" x 40" x 6³/₄"
(438 x 1016 x 171 mm)

Wall Opening:
15³/₄" x 38¹/₂" x 6¹/₄"
(400 x 980 x 160 mm)

MODEL OPTIONS:

6474-2 Stainless steel collar for semi-recessing in 4" (102 mm) walls.

SIMPLICITY COLLECTION



6468 DUAL NAPKIN/TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Available for 25¢, 50¢ or free operation. Its door has 2 tumbler locks. Its inside coin box has a separately keyed lock.

Model 64684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size:

17¹/₄" x 27¹/₄" x 6¹/₂"
(438 x 692 x 165 mm)

Wall Opening:

16" x 26" x 6¹/₄"
(406 x 660 x 159 mm)



6471 SANITARY NAPKIN DISPOSAL

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size:

10⁵/₈" x 19⁵/₈" x 4¹/₂"
(270 x 498 x 114 mm)

Wall Opening:

9¹/₈" x 18¹/₈" x 4"
(232 x 460 x 102 mm)



6477 TOILET SEAT COVER DISPENSER

Dispenses 500 seat covers.

Unit Size:

17¹/₄" x 12³/₄" x 2¹/₈"
(438 x 324 x 73 mm)

Wall Opening:

15³/₄" x 11¹/₂" x 2¹/₂"
(400 x 292 x 64 mm)



6326 LIQUID SOAP DISPENSER

Dispenser has a covered stainless steel soap tank attached to the door, which hinges out for easy filling and cleaning. Its all-purpose valve dispenses liquid, lotion and detergent-type soaps, with a capacity of 52 fl. oz. (1.5 L).

Unit Size:

10¹/₄" x 6" x 4¹/₈"
(260 x 152 x 105 mm)

Wall Opening:

9" x 4⁷/₈" x 4"
(229 x 124 x 102 mm)

Spout Projection: 2¹/₂" (64 mm)

SHOWN: 0469 PAPER TOWEL
DISPENSER AND
WASTE RECEPTACLE



Traditional Collection

This time-honored collection provides exceptional value, offering a broad array of items for well-equipped washrooms. Double-pan doors incorporate a “no-flex” structural fiberboard core. Combining seamless construction and crisp design lines, this


elegant collection provides strength, comfort, beauty and durability. All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

WHAT MAKES THE TRADITIONAL COLLECTION UNIQUE?




STAINLESS STEEL CONSTRUCTION

Fabricated with 22 gauge stainless steel with face trim, the recessed cabinet features one-piece construction with no miters or welding for durability.



DOUBLE-PAN DOORS

The double-pan doors incorporate a “no-flex” structural fiberboard core, adding strength and endurance for long-term use.



SAFE EASY DISPENSING

Towel dispensers have hemmed opening for safe, easy dispensing, minimizing waste and ensuring hygienic use.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

TRADITIONAL COLLECTION PRODUCTS



MULTI-PURPOSE CABINETS



PAPER TOWEL DISPENSERS



WASTE RECEPTACLES



0462-AD PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels. 2 gal. (7.6 L) waste receptacle.

MODEL OPTIONS:

0462-AD-9 Stainless steel collar for surface mounting.

Unit Size:

14¹/₄" x 28" x 4¹/₄"
(362 x 711 x 108 mm)

Wall Opening:

12³/₄" x 26¹/₂" x 4"
(324 x 673 x 102 mm)



0469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle.

MODEL OPTIONS:

0469-2 Recessing steel collar for semi-recessing in 2" (50 mm) walls.

0469-9 Stainless steel collar for surface mounting.

0469-BL 18 gal. (68 L) waste receptacle. Projects 8" (205 mm) from wall.

Unit Size:

17¹/₄" x 56" x 4¹/₄"
(438 x 1422 x 108 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 4"
(400 x 1384 x 102 mm)



04697 RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold or 1100 single-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle.

MODEL OPTIONS:

04697-4 Stainless steel collar for semi-recessing in 4" (102 mm) walls.

04697-9 Stainless steel collar for surface mounting.

04697-BL 18 gal. (68 L) waste receptacle, projects 4" (102 mm) from wall.

Unit Size:

17¹/₄" x 56" x 7¹/₄"
(438 x 1422 x 184 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 7¹/₄"
(400 x 1390 x 185 mm)



04692A AUTOMATIC ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. Battery operated (4) D-size.

MODEL OPTIONS:

04692A-6 has stainless steel collar for semi-recessing in 4" (102 mm) walls; **04692A-9** has stainless steel collar for surface mounting; **04692** has a mechanical lever dispenser with 3 pre-set dispensing lengths; **04692-6** Same as 04692, but has stainless steel collar for semi-recessing in 4" (102 mm) walls; **04692-9** Same as 04692, but has stainless steel collar for surface mounting.

Unit Size:

17¹/₄" x 56" x 10¹/₄"
(438 x 1422 x 260 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 10"
(400 x 1384 x 254 mm)



0467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold or 1100 single-fold paper towels. 6 gal. (22.7 L) stainless steel waste receptacle.

MODEL OPTIONS:

0467-2 Stainless steel collar for semi-recessing in 4" (102 mm) walls.

0467-9 Stainless steel collar for surface mounting.

Unit Size:

13" x 55" x 6¹/₂"
(330 x 1397 x 165 mm)

Wall Opening:

11¹/₂" x 53¹/₂" x 6¹/₄"
(290 x 1360 x 160 mm)



04693 RECESSED PULL CORE TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses one-pull core paper towel roll. 16 gal (60.6 L) stainless steel waste receptacle.

MODEL OPTIONS:

04693-6 Stainless steel collar for semi-recessing in 4" (102 mm) walls.

04693-9 Stainless steel collar for surface mounting.

Unit Size:

17¹/₄" x 56" x 10¹/₄"
(438 x 1422 x 260 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 10¹/₄"
(400 x 1385 x 260 mm)



046921A AUTOMATIC RECESSED ROLL TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 12 gal. (45.4 L) waste receptacle. Operated with 4 D-size batteries.

MODEL OPTIONS:

046921A-6 has stainless steel collar for semi-recessing in 4" (102 mm) walls; **046921A-9** has stainless steel collar for surface mounting; **046921** has a mechanical lever dispenser with 3 pre-set dispensing lengths; **046921-6** Same as 046921, but has stainless steel collar for semi-recessing in 4" (102 mm) walls; **046921-9** Same as 046921, but has stainless steel collar for surface mounting.

Unit Size:

17¹/₄" x 56" x 10¹/₄"
(438 x 1422 x 260 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 10¹/₄"
(400 x 1390 x 260 mm)



046924A AUTOMATIC RECESSED ROLL TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 mm) long rolls. 14 gal. (53 L) waste receptacle. Battery operated (4) D-size.

MODEL OPTIONS:

046924A-9 Stainless steel collar for surface mounting.

046924 Mechanical lever dispenser. Three pre-set dispensing lengths.

046924-9 Surface mounted with a mechanical lever dispenser.

Unit Size:

17¹/₄" x 56" x 9"
(438 x 1422 x 229 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 4"
(400 x 1384 x 102 mm)



0457 PAPER TOWEL DISPENSER

Dispenses 350 C-fold or 500 multi-fold paper towels; well-suited for smaller washrooms with less space and traffic.

Model **0457-9** has stainless steel collar for surface mounting.

Unit Size: 12³/₄" x 17¹/₄" x 4¹/₄" (324 x 438 x 108 mm)
Wall Opening: 11¹/₄" x 15³/₄" x 4" (286 x 400 x 102 mm)



0452 PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels.

Model **0452-9** has stainless steel collar for surface mounting.

Unit Size: 14¹/₄" x 28" x 4¹/₄" (326 x 711 x 108 mm)
Wall Opening: 12³/₄" x 26¹/₂" x 4" (324 x 673 x 102 mm)



045224A AUTOMATIC ROLL PAPER TOWEL DISPENSER

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls.

MODEL OPTIONS:

045224A-9 has a stainless steel collar for surface mounting.

045224 and **045224-9** mechanical lever dispenser with 3 pre-set lengths.

Unit Size: 17¹/₄" x 30¹/₂" x 10¹/₄" (438 x 775 x 260 mm)
Wall Opening: 15³/₄" x 29" x 4" (400 x 740 x 102 mm)



04523A AUTOMATIC ROLL PAPER TOWEL DISPENSER

No-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. Operates with (4) D-size batteries.

MODEL OPTIONS:

04523 and **04523-9** mechanical lever dispenser with 3 pre-sets.

04523A-9 has a stainless steel collar for surface mounting.

Unit Size: 17¹/₄" x 20" x 9¹/₂" (440 x 510 x 241 mm)
Wall Opening: 15³/₄" x 18¹/₂" x 9¹/₂" (400 x 470 x 241 mm)



0458 WASTE RECEPTACLE

Stainless steel waste container locks into cabinet, removable for servicing

Model **0458-9** has stainless steel collar for surface mounting.

Unit Size: 17¹/₄" x 30¹/₂" x 8" (440 x 775 x 200 mm)
Wall Opening: 15³/₄" x 29" x (variable") (400 x 740 mm)

*[0458 if 4" (102 mm) x 4" and 12 gals. (46 L); 0458-CX if 1/2" (13 mm) x 7 1/2" (190 mm) and 12 gals.; 0458-DX if 8" (205 mm) x 4" (102 mm) and 18 gals. (68 L)]



04733 WASTE RECEPTACLE

Self-closing panel covers the receptacle opening, removable 3 gal. (11.4 L) stainless steel waste receptacle.

Unit Size: 14¹/₄" x 28" x 4¹/₂" (326 x 711 x 114 mm)
Wall Opening: 12³/₄" x 26¹/₂" x 4" (324 x 673 x 102 mm)

TRADITIONAL COLLECTION



0210 PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel with satin finish, this unit dispenses 400 C-fold or 525 multi-fold paper towels without adjustment or adapters and is fitted with tumbler lock and heavy-duty stainless steel piano hinge.

Overall Dimensions:
11" x 14⁵/₈" x 4¹/₁₆"
(280 x 370 x 102 mm)



0215 PAPER TOWEL DISPENSER—PETITE

Same as 0210 but reduced capacity to dispense 200 C-fold or 275 multi-fold paper towels; well-suited for low traffic areas.

Overall Dimensions:
11" x 8" x 4"
(280 x 205 x 102 mm)



0439 RECESSED TOWEL DISPENSER

This cabinet has 2 push-up flaps for bottom-filling with towels and dispenses 600 C-fold or 800 multi-fold paper towels; designed to conceal the dispenser behind mirror or wall so only the towel tray opening is visible.

Note for Designers: Leave 6" min. (150 mm) clearance below towel tray opening for space to pull towels; units are installed before hanging mirror or applying finished wall.



8522 ROLL PAPER TOWEL DISPENSER

Mechanical unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls.

Overall Dimensions:
13" x 17³/₄" x 10¹/₂"
(330 x 451 x 267 mm)

MODEL OPTIONS:

8523A Automatic dispenser with 3 pre-set lengths. Operates with (4) D-size batteries.



8165 ROLL PAPER TOWEL DISPENSER

Holds standard paper towel roll up to 6" (150 mm) diameter; heavy-duty aluminum casting with satin-matte, silver-grey finish. Designed for controlled delivery of towels, and its concealed locking device on molded plastic spindle prevents theft.

Overall Dimensions:
Unit measures 13" (330 mm) wide; projects 4⁷/₈" (125 mm) from wall.



0245-SS PAPER TOWEL DISPENSER

Entirely fabricated of 22 gauge stainless steel. This unit dispenses 400 single-fold paper towels.

Overall Dimensions:
11¹/₄" x 6¹/₄" x 5⁵/₈"
(285 x 160 x 145 mm)



0828 WASTE RECEPTACLE

Fabricated of 22 gauge type 304 stainless steel with satin finish and hemmed top and bottom edges for safety; holds 6.7 gal. (25.4 L) of waste.

Overall Dimensions:
14" x 17" x 6 1/2"
(355 x 430 x 165 mm)



0825 WASTE RECEPTACLE

22 gauge stainless steel with satin finish; holds 17 gal. (64.4 L) with top and bottom hemmed edges; interior hooks for liner.

Overall Dimensions:
15 3/4" x 21 7/8" x 11 3/4"
(400 x 555 x 300 mm)

Model **0826** has 12 gal. (45 L) capacity with 15 1/4" x 23" x 8" (390 x 585 x 200 mm) dimensions.



0810 FREESTANDING WASTE RECEPTACLE

22 gauge stainless steel with satin finish; holds 13 gal. (49 L); self-closing doors on top with vinyl wall bumpers, rubber feet and hooks for liners.

Overall Dimensions:
13" x 30 1/2" x 13"
(330 x 775 x 330 mm)

Model **0812** has 19 gal. (72 L) capacity with 13" x 38 1/2" x 13" (330 x 978 x 330 mm) dimensions.



0811 FREESTANDING OPEN WASTE RECEPTACLE

Same features as Model 0810 except without top.

Overall Dimensions:
13" x 22" x 13"
(330 x 560 x 330 mm)

Model **0813** has 19 gal. (72 L) capacity with 13" x 30" x 13" (330 x 760 x 330 mm) dimensions.



0827 WASTE RECEPTACLE

Fabricated of 22 gauge type 304 stainless steel with satin finish and hemmed top and bottom edges for safety; capacity of 2 gal. (7.6 L) of waste.

Overall Dimensions:
10 3/4" x 9" x 4 3/4"
(275 x 230 x 110 mm)



0829 CORNER WASTE RECEPTACLE

Fabricated of 22 gauge type 304 stainless steel with satin finish and hemmed top and bottom edges for safety; capacity of 15.5 gal. (59 L) of waste.

Overall Dimensions:
15" x 23" x 14 1/2"
(380 x 585 x 370 mm)



 **1000 CIRCULAR COUNTER TOP WASTE CHUTE**

Provides waste deposit access to receptacle (not furnished) placed directly below chute; made of heavy gauge stainless steel with rolled flange and exposed surfaces that have satin finish.

Unit Size: 6³/₄"
(170 mm) outside diameter

Counter Opening: 5³/₄"
(146 mm) diameter

Model **1000A** has a 9" (229 mm) outside diameter with a counter opening of 8¹/₂" (206 mm) diameter.



 **1001 COUNTER TOP MOUNTED PAPER TOWEL DISPENSER/WASTE RECEPTACLE**

Capacity of 1 package of C-fold paper towels for loading by pushing through hinged dispensing flaps. Loose waste receptacle to be placed directly below waste door on the vanity floor is provided.

Unit Size: 14¹/₄" x 15" x 3¹/₂"
360 x 380 x 2 mm

Counter Opening: 12¹/₂" x 13¹/₂"
(320 x 340 mm)



 **1002 COUNTER TOP MOUNTED PAPER TOWEL DISPENSER**

Capacity of 1 package of C-fold paper towels for loading by pushing downward through hinged dispensing flaps.

Unit Size: 14¹/₄" x 8" x 3¹/₂"
(360 x 150 x 2 mm)

Counter Opening: 12¹/₂" x 4¹/₄"
(318 x 108 mm)



 **1003 COUNTER TOP MOUNTED WASTE RECEPTACLE**

Push door is self-closing. A 12" x 12" x 12" (305 x 305 x 305 mm) waste receptacle is furnished to be placed directly below waste door on the vanity floor.

Unit Size: 14¹/₄" x 10" x 3¹/₂"
(360 x 255 x 2 mm)

Counter Opening: 12¹/₂" x 8³/₄"
(320 x 220 mm)

SHOWN: 20200 TRI-UMPH™
HIGH-SPEED HAND DRYER



TRI-Umph™ High-Speed Hand Dryer

This state-of-the-art, ergonomic, high-speed hand dryer is ultra-hygienic with an outstanding filter system. With air blowing down from vents on one side, users dry their hands in under 12 seconds.

This hand dryer allows users to triumph over germs with fast drying time in a comfortable, natural position without water splash-back. Easy to maintain, the TRI-Umph™ high-speed hand dryer makes perfect sense to meet washroom needs.

WHAT MAKES TRI-Umph™ UNIQUE?




FASTEST DRYING TIME

The TRI-Umph™ high-speed hand dryers take less than 12 seconds to completely dry hands.



NO BENDING DOWN

This unit is wall mounted at a comfortable height in order to permit a natural posture while drying the user's hands.



WATER DOESN'T END UP ON THE FLOOR

Water blown from wet hands is pushed onto an absorbent and continuously evaporating ceramic plate, with any excess water channeled into a drip tray.



SAY GOODBYE TO MOLD, MILDEW AND BACTERIA

Over 99% of airborne bacteria and particles as small as 0.3 microns are eliminated with this hand dryer's removable three-layer filter system.

2020 TRI-Umph™ PRODUCT SPECIFICATIONS

FEATURES

- Fast drying
- Ultra-hygienic
- Ergonomic positioning
- Easy to clean and replace filters
- No puddles on the floor

DIMENSIONS

Unit size is 12¹¹/₁₆" x 22¹/₁₆" x 7³/₄"
(322 x 560 x 196 mm)
Net weight: 19.8 lbs. (9 kg)

ELECTRIC

Different models for operating voltage 110~120 V (50/60 Hz), 208~204 V (50/60 Hz) or 227 V (60 Hz); 900 W with heater on, 700 W with heater off



20201—White





-92
 
 Bright White
 Stainless Steel

0198-93 TURBO-Dri Jr.

Powerful, quick drying, <15 seconds, yet quiet (69 dB-A); automatic operation and resetting thermostat with 2-second delayed turn off. Heavy-duty, one-piece-formed unit in white or satin stainless steel finish with 5-year warranty. Optional voltages available.

Overall Dimensions:

$9\frac{25}{32}'' \times 6\frac{5}{8}'' \times 5\frac{13}{32}''$
 (248.3 x 168.2 x 137.5 mm)



-92
 
 Bright White
 Stainless Steel



0199-93 ASI TURBO-ADA

Quick drying, <15 seconds, and automatic operation using infrared sensor with auto-resetting thermostat. Owner-adjustable air speed & temperature and on/off heating options with shut off when user removes hands from sensor zone. Standard white cover; optional bright or satin stainless steel finish. Optional voltages available.

Overall Dimensions:

$10\frac{5}{8}'' \times 8\frac{15}{32}'' \times 4''$
 (270 x 215 x 102 mm)



-92 -93
 
 Bright Satin
 Stainless Steel



0197 TURBO-DRI™ HAND DRYER

Quick drying, <12 seconds, and powerful, yet quiet, with 60-second auto shut off; automatic operation using infrared sensor with auto-resetting thermostat. Heavy-duty, one-piece-formed unit in bright or satin stainless steel finish. Optional voltages available.

Overall Dimensions:

$8\frac{1}{16}'' \times 11\frac{1}{64}'' \times 7\frac{5}{64}''$
 (205 x 287 x 180 mm)



0134 TURBO-TUFF

Quick drying, <15 seconds, and operates automatically using infrared sensor with auto-resetting thermostat. Owner-adjustable air speed & temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. ADA compliant. Optional voltages available.

Unit Size:

$12\frac{19}{32}'' \times 15\frac{3}{4}'' \times 4\frac{1}{16}''$
 (320 x 400 x 103 mm)

Wall Opening:

$12\frac{5}{16}'' \times 15\frac{3}{16}'' \times 3\frac{7}{8}''$
 (313 x 386 x 98 mm)





0141 PORCELAIN HAND DRYER

Quick drying, <30 seconds, and no-touch, energy efficient operation. Dries both hands and face. Refer to our webpage for more color options.

Overall Dimensions:
 9⁷/₁₆" x 9⁴/₁₆" x 6³/₁₆"
 (240 x 245 x 162 mm)

Electrical Specifications:
 Motor: 1/8 HP-3150 RPM - Brushless
 Air Output: 150 CFM - Temp 127° F (53° C)



64672 RECESSED COMBO THREE-IN-ONE

This three-in-one paper towel dispenser with waste receptacle and high-speed automatic hand dryer provides quick drying, <15 seconds. Dispenses 500 standard multi-fold or 400 standard C-fold paper towels and shall have a waste capacity of 6.8 gal (26 L). Durable 20 gauge stainless steel cover has a satin finish. Dryer has 5-year warranty. Optional voltages available.

Wall Opening:
 14³/₃₂" x 54³/₁₆" x 7¹/₄"
 (358 x 1381 x 184 mm)



-92
 
 Bright White
 Stainless Steel



0185-93 PROFILE™ STEEL COVER WITH PORCELAIN ENAMEL FINISH

Quick drying, <25 seconds, and no-touch, energy efficient operation. Universal voltage; automatically adjusts to voltages of 100 to 240 VAC - 50/60 Hz. Modern design and durable. Refer to our webpage for more color options.

Overall Dimensions:
 14⁷/₁₆" x 10¹³/₁₆" x 3¹⁵/₁₆"
 (367 x 275 x 100 mm)
 ADA compliant.



0195 PROFILE™ CAST IRON COVER WITH PORCELAIN ENAMEL FINISH

Quick drying, <25 seconds, and no-touch, energy efficient operation. Universal voltage; automatically adjusts to voltages of 100 to 240 VAC - 50/60 Hz. Modern design and durable. Refer to our webpage for more color options.

Overall Dimensions:
 15³/₃₂" x 11⁷/₃₂" x 3¹⁵/₁₆"
 (383 x 285 x 100 mm)
 ADA compliant.

SHOWN: 0390 EZ FILL™
SOAP DISPENSING SYSTEM



Soap Dispensers

ASI offers a full range of soap dispensers, from manual and automatic operation, and single unit to 6-unit multi-feed. Each of our soap dispensers are easy to use and maintain.


You can choose from surface mounted, recessed or lavatory mounted models for lotion, powder or surgical soap dispensers to meet your washroom needs. Of special interest is our New EZ FILL™ top-fill multi-feed soap dispensing system.

WHAT MAKES EZ FILL™ SOAP DISPENSING SYSTEM UNIQUE?

Up to
6
dispensers

MULTI-FEED SYSTEM

Using infrared sensors, each of up to 6 automatic soap dispensers is fed by its own controllable peristaltic pump.



EASY REFILL

Using a single soap reservoir, this top-fill system allows refill of up to 6 soap dispensers with 1 pour—for easy ongoing maintenance.



UNIVERSAL REMOTE

Controls all dispensers with one remote, allowing flexibility in settings with a choice of 4 presets.

Up to
169
oz. capacity

RANGE OF SIZES FOR ALL NEEDS

Holds 169 oz. (5 L) of liquid soap to supply up to six (6) individual EZ FILL™ vanity mounted automatic soap dispenser units.

EZ FILL™ FEATURES

- Top-fill, expandable system
- Heavy-duty brass dispensers with chrome-plated finish
- Counter-mounted port has an anti-theft cover
- Easy to use
- This EZ FILL™ system is electrically operated using batteries or alternating current





20333 AUTOMATIC DECK MOUNTED SOAP DISPENSER

Constructed of polished type 304 stainless steel on exposed surfaces with battery-operated, hands-free sensor. LEDs indicate function, battery condition and soap supply level on face front. Translucent tank. Capacity: 54 oz. (1600 ml) of liquid soap.

Overall Dimensions:
4" x 21½"
(102 x 546 mm)

Spout Projection: 3⅞" (99 mm)



0362 AUTOMATIC SOAP DISPENSER

Stainless steel soap dispenser in satin finish with proximity sensor. Unit is battery operated and has tamper-resistant viewing window. Suitable for dispensing higher viscosity soaps.

Overall Dimensions:
10⅝" x 4¹³/₁₆" x 4⅞"
(122 x 270 x 105 mm)

0363 AUTOMATIC SOAP DISPENSER

Same as 0362 except bright polished finish.



0360 AUTOMATIC SOAP DISPENSER

Stainless steel, satin finish, proximity sensor, battery operated. Tamper-resistant soap level viewing window, removable lid with special lock and key. Capacity: 35 fl. oz. (1000 ml).

Overall Dimensions:
4¹/₁₆" x 9¼" x 4⅞"
(113 x 235 x 124 mm)



5001-SS CARTRIDGE SOAP DISPENSER

Surface mounted, stainless steel, satin finish 22 gauge door and body 16 gauge.

Overall Dimensions:
4¼" x 11" x 4"
(110 x 280 x 100 mm)

5002 CARTRIDGE SOAP DISPENSER
Recessed mounted unit.

Unit Size: 7¼" x 15" x 4½"
(184 x 381 x 115 mm) **Wall Opening:** 5¾" x 13½" x 4¼"
(146 x 343 x 108 mm)



0361 AUTOMATIC SOAP DISPENSER

White, high-impact plastic, proximity sensor, battery operated. Tamper-resistant soap level viewing window, swing open body with special lock and key. Capacity: 28 fl. oz. (800 ml).

Overall Dimensions:
3⅝" x 10⁹/₁₆" x 4⁹/₁₆"
(92 x 262 x 111 mm)



0326 RECESSED HORIZONTAL SOAP DISPENSER

Stainless steel with satin finish, all-purpose soap valve, 52 fl. oz. (1.5 L) capacity.

Unit Size: 10¼" x 6" x 4½"
(260 x 152 x 115 mm) **Wall Opening:** 9" x 4⁷/₁₆" x 4¼"
(230 x 125 x 110 mm)

0327 RECESSED SOAP DISPENSER
34 oz. (1 L) capacity soap dispenser.

Unit Size: 6¾" x 6¾" x 4⅞"
(172 x 172 x 105 mm) **Wall Opening:** 5⁵/₁₆" x 5⁷/₁₆" x 4"
(150 x 150 x 102 mm)

Spout Projection: 2½" (64 mm)

SOAP DISPENSERS



0332 LAVATORY MOUNTED ALL-PURPOSE SOAP DISPENSER

Corrosion-resistant valve with stainless steel spout and chrome plated brass escutcheon plate.

Unit Size:
 $3\frac{3}{16}'' \times 10\frac{2}{32}''$
 (87 x 271 mm)

MODEL OPTIONS:

	Capacity	Spout
0332	34 oz. (1.0 L)	4" (102 mm)
0332-C	20 oz. (0.6 L)	4" (102 mm)
0332-CD	20 oz. (0.6 L)	6" (152 mm)
0332-D	34 oz. (1.0 L)	6" (152 mm)



**0347 VERTICAL SOAP DISPENSER
 0345 HORIZONTAL SOAP DISPENSER**

40 fl. oz capacity soap dispenser in stainless steel; satin finish comes with an all-purpose valve and an tamper-resistant refill indicator.

0347 Unit Size: $4\frac{13}{16}'' \times 8\frac{13}{16}'' \times 3\frac{15}{16}''$ (122 x 208 x 100 mm)
0345 Unit Size: $8\frac{1}{8}'' \times 4\frac{3}{4}'' \times 4''$ (205 x 120 x 100 mm)

Spout projection: $\frac{15}{16}''$ (24 mm)

9343 HORIZONTAL SOAP DISPENSER

All-purpose soap valve dispenses liquid, lotion and detergent-type soap. Unbreakable refill window, concealed fastening and hinged filler-top for vandal resistance. Capacity: 48 fl. oz. (1.4 L).

Overall Dimensions:
 $7\frac{1}{4}'' \times 6\frac{1}{2}'' \times 3\frac{1}{16}''$
 (185 x 163 x 94 mm)



20365 AUTOMATIC FOAM SOAP DISPENSER

A foam drop is dispensed out of the nozzle on unit bottom each time its battery-operated sensor is activated. Capacity: 34 oz. (1000 ml) of liquid foaming soaps within a wide range of viscosity.

Overall Dimensions:
 $5\frac{1}{2}'' \times 10\frac{7}{16}'' \times 4''$
 (140 x 276 x 102 mm)
 ADA compliant.



20364 AUTOMATIC SOAP OR HAND SANITIZER DISPENSER

Hands-free, battery-operated soap or hand sanitizer dispenser. Dispensing cycles adjustable with tamper-proof magnetic key. Seamless drawn type 304 stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1000 ml). ADA compliant.



20363 SURFACE MOUNTED VERTICAL SOAP DISPENSER

Push button. Valve operation is ADA compliant, needing no more than 5 lbs. of pressure to actuate. Gently radiused edge complements the curves of the ASI Roval™ Collection. Capacity: 57 oz. (1.7 L).

Overall Dimensions:
 $5\frac{1}{2}'' \times 10\frac{13}{16}'' \times 4''$
 (139 x 274 x 101 mm)
 Spout Projection: $\frac{15}{16}''$ (24 mm)



Mirrors

ASI provides mirrors for every location, application and budget—virtually any size available. Choose from a variety of reflective surfaces and wall mountings, as well as styles ranging from frameless mirrors to mirrors with shelves and tilting features. Mirror silver guaranteed for 15 years.

SHOWN: 20650 ROVAL™ STAINLESS STEEL MIRROR



0535 FIXED TILT MIRROR

Offers visibility for wheelchair patients. Frame fabricated of 20 gauge stainless steel with a satin finish. Mirror is tapered from 4" (102 mm) at top to 1" (25 mm) at bottom.

Standard Mirror Sizes												
Width x Height	0535	0537	0600	0600T	0605	0620	0625	8026	20650	20650-B	20655	20655-B
16" x 20" (41 x 51 cm)			■		■	■		■				
16" x 24" (41 x 61 cm)			■	■	■	■	■	■				
16" x 30" (41 x 76 cm)	■	■	■	■	■	■						
18" x 24" (46 x 61 cm)	■		■	■	■	■	■	■	■	■	■	■
18" x 30" (46 x 76 cm)	■	■	■	■	■	■	■	■	■	■	■	■
18" x 36" (46 x 91 cm)	■	■	■	■	■	■	■		■	■	■	■
20" x 60" (51 x 152 cm)			■			■						
24" x 24" (61 x 61 cm)						■						
24" x 30" (61 x 76 cm)	■		■	■	■	■	■	■	■	■	■	■
24" x 36" (61 x 91 cm)	■		■	■	■	■	■	■	■	■	■	■
24" x 42" (61 x 108 cm)			■			■						
24" x 48" (61 x 122 cm)			■			■			■	■	■	■
24" x 60" (61 x 152 cm)			■			■			■	■	■	■
24" x 72" (61 x 183 cm)			■									
30" x 36" (76x 91 cm)			■			■						
30" x 48" (76x 122 cm)						■						
36" x 36" (91x 91 cm)			■		■	■			■	■	■	■
36" x 48" (91 x 122 cm)						■						
48" x 30" (122 x 76 cm)			■		■	■						
48" x 36" (122 x 91 cm)			■		■	■	■					
60" x 24" (152 x 61 cm)			■		■	■						
60" x 36" (152 x 91 cm)			■		■	■						
72" x 36" (183 x 91 cm)			■		■	■						

Custom sizes available upon request. Standard glazing is glass. Multiple glazing options available, visit americanspecialties.com.



8026 FRAMELESS STAINLESS STEEL MIRROR

Fabricated of 20 gauge type 304 stainless steel polished to a #8 mirror finish with a ¼" (6 mm) return. Provided with ¼" (6 mm) thick concealed tempered masonite backing and 4 mounting holes. Installer shall provide mounting screws to suit individual field conditions.



0600 ANGLE FRAME MIRROR

¾" x ¾" (19 x 16 mm) roll formed 18 gauge type 304 stainless steel angle has corners heliarc welded, ground and polished smooth to a uniform satin finish. Mirror is installed on a concealed hanging bracket that locks onto top and bottom of frame by tamper-proof set screws. Back plate is one piece, attached to frame with theft-resistant locking device.



0600T ADJUSTABLE TILT MIRROR

Designed to provide easy visibility for wheelchair patients or return to upright position. Angle frame fabricated of 18 gauge stainless steel with corners welded and ground smooth. Tilts a full 6" (152 mm) with bottom mounted on full width stainless steel piano hinge.



0620 CHANNEL FRAME MIRROR

½" x ½" x ½" (13 x 13 x 13 mm) 20 gauge type 304 satin finish stainless steel channel is a one-piece roll formed member that encases mirror and backing revealing a tight mitered corner. Mirror is installed on two wall brackets and held secure by theft-resistant screw.



0605 ANGLE FRAME MIRROR WITH SHELF

0625 CHANNEL FRAME MIRROR WITH SHELF

18 gauge stainless steel shelf with satin finish and all edges returned and hemmed for maximum rigidity and safety. Shelf is welded to face frame and is 5" (127 mm) wide.



20650 ROVAL™ STAINLESS STEEL MIRROR

Gently radiused edges match the ASI Roval™ design. Frame fabricated of 18 gauge type 304 stainless steel with satin finish and polished seamless mitered corners. 0.25" (6.4 mm) thick plate glass mirror. Warrantied for 15 years against silver spoilage. Choice of sizes.

MODEL OPTIONS:
20650-B Same as 20650 but tempered glass.



Feminine Hygiene

ASI offers a wide range of feminine hygiene dispenser and disposal units, available as fully recessed, semi-recessed or surface mounted with various capacities. Type 304 stainless steel fabrication with satin finish on exposed surfaces and 18 gauge doors secured with concealed full length stainless steel hinges. Coin boxes are keyed separately from door lock for maximum security. Available for 25¢, 50¢ or free operation.

SHOWN: 0468 RECESSED SANITARY NAPKIN/TAMPON VENDOR



9471 PROFILE COLLECTION SANITARY NAPKIN DISPOSAL

Self-closing stainless steel push door covers disposal opening. Removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Wall Opening:
9¹/₈" x 18¹/₈" x 4¹/₁₆"
(230 x 460 x 125 mm)



6468 SIMPLICITY COLLECTION DUAL NAPKIN/TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Door locked by two tumbler locks. Inside coin box has separately keyed lock.

Wall Opening:
16" x 26" x 6¹/₂"
(405 x 660 x 165 mm)

FEMININE HYGIENE VENDORS AND DISPOSALS



 **0464 RECESSED SANITARY NAPKIN
TAMPON VENDOR**

Dispenser includes two dispensing mechanisms, one for 27 tampons, the other for 30 feminine napkins. Furnished with an adjustable flange for recessing in wall depths from 1" to 6" (26 to 152 mm).

MODEL OPTIONS:

0864 Surface mounted.

Unit Size: 13 ³ / ₄ " x 28 ¹ / ₈ " x 6 ¹ / ₂ " (349 x 714 x 165 mm)	Wall Opening: 12 ¹ / ₂ " x 26 ⁵ / ₈ " x 1" to 6" (320 x 680 x 26 to 152 mm)
--	--



 **0468 RECESSED SANITARY NAPKIN/
TAMPON VENDOR**

Dispenses 30 napkins and 27 tampons.

MODEL OPTIONS:

0468-2 Stainless steel collar for semi-recessing in 4" (102 mm) walls.

04684 Designed for 4" (102 mm) wall. Dispenses 15 napkins, 23 tampons.

Unit Size: 17 ¹ / ₄ " x 27 ¹ / ₄ " x 6 ¹ / ₂ " (438 x 692 x 165 mm)	Wall Opening: 16" x 26" x 6" (406 x 660 x 152 mm)
--	--



**204684 RECESSED DUAL SANITARY
NAPKIN & TAMPON DISPENSER**

Dispenses 31 napkins and 22 tampons. Door has 18 gauge type 304 satin finish stainless steel, with 2 flush tumbler locks. Universal coin mechanism allows for 25¢, 50¢ or free (no coin) operation; different lock and key than doors.

MODEL OPTIONS:

204684-9 Collar for surface mounting.

Unit Size: 17 ⁵ / ₁₆ " x 27 ³ / ₄ " x 5 ⁵ / ₈ " (440 x 705 x 143 mm)	Wall Opening: 15 ⁵ / ₈ " x 26 ¹ / ₈ " x 4" (397 x 664 x 10 mm)
---	---



**6471 SIMPLICITY COLLECTION
SANITARY NAPKIN DISPOSAL**

Self-closing stainless steel push door covers disposal opening. 1.9 gal. (7.2 L) stainless steel waste receptacle.

Wall Opening:
9¹/₈" x 18¹/₈" x 4¹/₄"
(230 x 460 x 110 mm)



**20852 SURFACE MOUNTED SANITARY
WASTE RECEPTACLE**

Lid and cabinet are each drawn one-piece construction. Lid is secured to the cabinet with a heavy-duty ⁹/₆₄" multi-staked concealed piano hinge.

Overall Dimensions:
7¹/₄" x 10" x 3¹/₂"
(185 x 253 x 89 mm)



**20470 RECESSED SANITARY NAPKIN
DISPOSAL**

Heavy-duty ⁹/₆₄" staked piano hinge adds to the robust construction. Drawn one-piece seamless door of 22 gauge type 304 stainless steel with a satin finish. 1.0 gal. (3.7 L) waste capacity.

Overall Dimensions:
12¹³/₁₆" x 11" x 5⁷/₁₆"
(325 x 280 x 138 mm)



Specialty Accessories

With an extensive portfolio of washroom accessories, ASI can provide whatever you need to promote the neat and orderly use of your facilities. These designs reflect our attention to detail for durability and easy maintenance.

SHOWN: 0785-Z TOWEL RING



7385 TOWEL RING

For bath and hand towels. Ring is 4½" (115 mm) wide, made of ¼" (6 mm) diameter stainless steel bar. Projects 2½" (65 mm) from wall. 5" (125 mm) high.



0785-Z TOWEL RING

Ring is fabricated from rust resistant Zamac, with stainless steel wall bracket.

Overall Dimensions:

6³/₈" x 1⁵/₈"
(162 x 41 mm)



7301 TOWEL PIN

Fabricated from stainless steel. Extends 3½" (90 mm) from wall.

Overall Dimensions:

2" x 2" x 3¹/₂"
(51 x 51 x 89 mm)

SPECIALTY ACCESSORIES



8425 CLOTHES HOOK

Heavy-duty 11 gauge type 304 stainless steel with satin finish. Hook projects 1¼" (32 mm) from wall and is 2¼" (55 mm) high.



7382 HAT AND COAT HOOK

Double hook for both coats and hats; 5¼" x 3" (135 x 75 mm)



0751 HEAVY-DUTY ROBE HOOK

Concealed mounting satin chrome-plated brass, 3¼" (80 mm).

MODEL OPTIONS:

0751-A Exposed mounting, satin chrome-plated brass 3¼" (80 mm).



0714 COAT AND BUMPER HOOK

Fabricated from chrome-plated brass, 3" (75 mm). Neoprene bumper protects wall surface.



7340 SINGLE ROBE HOOK

Fabricated from stainless steel. Hook extends 1½" (40 mm) from wall.



0740-Z SINGLE ROBE HOOK

Fabricated from rust resistant Zamac, with stainless steel wall bracket.

Overall Dimensions:

2⅞" x 1⅞" x 2⅞"
(54 x 37 x 54 mm)



7345 DOUBLE ROBE HOOK

4" (100 mm) wide stainless steel bar forms hook at each end. Unit extends 1½" (40 mm) from wall.



0745-Z DOUBLE ROBE HOOK

Fabricated from triple chrome-plated rust resistant Zamac.

Overall Dimensions:

2 1/8" x 1 7/16" x 1 29/64"
(54 x 36.5 x 37 mm)



0755-SS HEAVY-DUTY STAINLESS STEEL TOWEL BAR

Towel bar fabricated of 1" (25 mm) O.D. x 20 gauge, type 304 stainless steel with a satin finish and designed not to turn in support posts. Support posts fabricated of heavy solid cast brass with satin finish to match stainless steel. Available in 18", 24", 30" and 36" (460, 610, 760 and 915 mm) lengths.



0760-Z SQUARE TOWEL BAR

18", 24", 30" and 36" (460, 610, 760 and 915 mm) long.

Fabricated from triple chrome-plated rust resistant Zamac.

Overall Dimensions:

18-36" x 1 7/16" x 3 3/16"
(457-914 x 37 x 81 mm)

SPECIALTY ACCESSORIES



7355 TOWEL BAR-ROUND

$\frac{3}{4}$ " (19 mm) diameter stainless steel towel bar and stainless steel mounting bracket. Available in 18", 24" and 30" (460, 610 & 760 mm) lengths. Extends $3\frac{1}{4}$ " (80 mm) from wall.



0712 SURFACE MOUNTED RETRACTABLE CLOTHES LINE

Polished stainless steel unit has spring actuated 6' (150 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.



7310 TOWEL SHELF WITH TOWEL BAR

8" (200 mm) deep consisting of four $\frac{3}{8}$ " diameter stainless steel tubes, with $\frac{1}{4}$ " (6 mm) diameter stainless steel towel bar below shelf, available 18" (460 mm) and 24" (610 mm). Overall height: $4\frac{1}{4}$ " (110 mm); projects 8" (200 mm) from wall.



7311 TOWEL SHELF WITH TOWEL BAR

Heavy-duty unit with $\frac{3}{4}$ " and $\frac{3}{8}$ " diameter type 304 stainless steel tubing. Bright finish only. Available 20" (510 mm) and 24" (610 mm). Overall height: $6\frac{1}{2}$ " (165 mm); projects 8" (200 mm).



7320 SOAP DISH

Drawn, one-piece stainless steel soap dish welded to support arm and flange. Has two drain holes and two ridges to support bar of soap.

Overall Dimensions:
4¹/₄" x 2" x 4"
(108 x 51 x 102 mm)



0721-Z SOAP DISH WITHOUT DRAIN

Fabricated from triple chrome-plated rust resistant Zamac.

Overall Dimensions:
4" x 1¹/₂" x 3¹/₄"
(102 x 38 x 83 mm)



7335 TOOTHBRUSH AND TUMBLER HOLDER

Drawn, one-piece toothbrush holder is made of stainless steel. Has 2¹/₄" (60 mm) diameter hole in center of unit to hold tumbler. Accommodates 6 toothbrushes.

Overall Dimensions:
4¹/₄" x 2" x 4"
(108 x 51 x 102 mm)



0735-Z TOOTHBRUSH & TUMBLER HOLDER

Fabricated from triple chrome-plated rust resistant Zamac.

Overall Dimensions:
3⁷/₈" x 1¹/₂" x 3¹/₄"
(98 x 38 x 83 mm)



0719 DOOR BUMPER

Chrome-plated Zamac 2³/₁₆" (55 mm) diameter flange. Projects 1⁷/₈" (50 mm).



0755-Z ROUND TOWEL BAR

Triple chrome-plated rust resistant Zamac tubing. 18", 24", 30" and 36" (460, 610, 760 and 915 mm) long.

SPECIALTY ACCESSORIES



 **0258-SS SURFACE MOUNTED FACIAL TISSUE DISPENSER**

Cabinet type 304 stainless steel, satin finish. Dispenses 300 single-ply or 150 two-ply sheets.

Overall Dimensions:
10¹⁵/₁₆" x 5" x 2¹/₈"
(260 x 125 x 55 mm)



 **0259-SS RECESSED FACIAL TISSUE DISPENSER**

Dispenses 300 single-ply or 150 double-ply tissue. Faceplate type 304 stainless steel satin finish.

Overall Dimensions:
11¹/₈" x 6³/₈" x 2¹/₄"
(302 x 162 x 57 mm)



 **0002-SM STAINLESS STEEL SURFACE MOUNTED PAPER CUP DISPENSER**

Dispenses 100 flat bottom cups. Adjustable for 3 oz. through 6 oz. cups. Stainless steel with bright finish.

Overall Dimensions:
3" Diameter x 15"
(75 x 380 mm)



 **0484-HC DUAL ACCESS SEAT COVER AND TOILET TISSUE DISPENSER**

One side mounts flush to partition of barrier-free side to allow for grab bar. Usable by both sides but serviced from one side. Holds 1000 seat covers and 4 rolls of toilet tissue.

Unit Size: 17 ³ / ₈ " x 30 ⁵ / ₈ " x 4 ¹ / ₄ " (441 x 778 x 108 mm)	Partition Opening: 15 ¹ / ₂ " x 28 ¹ / ₈ " (395 x 735 mm)
ADA compliant.	adjustable for partitions in thickness from 1 ¹ / ₂ " to 3 ³ / ₄ " (13 to 95 mm)



 **04813 DUAL ACCESS TOILET TISSUE DISPENSER WITH NAPKIN DISPOSAL**

Mounts through partition, usable by both sides but serviced from one side. Holds 4 rolls of toilet tissue.

Unit Size: 17 ³ / ₈ " x 20" x 4 ¹ / ₄ " (440 x 510 x 110 mm)	Partition Opening: 15 ¹ / ₂ " x 18 ¹ / ₄ " (395 x 465 mm)
---	--




 **0481 DUAL ACCESS SEAT COVER AND TOILET TISSUE DISPENSER WITH SANITARY DISPOSAL**

Mounts through partition usable by both sides but serviced from one side. Holds 1000 seat covers and 4 rolls of toilet tissue.

Unit Size: 17 ³ / ₈ " x 30 ⁵ / ₈ " x 4 ¹ / ₄ " (440 x 780 x 110 mm)	Partition Opening: 15 ¹ / ₂ " x 28 ¹ / ₈ " (395 x 735 mm)
--	--

SHOWN: 74022-H TOILET TISSUE DISPENSER



Toilet Tissue Dispensers

ASI offers many different designs and styles to complement the features of your washroom setting. Engineered for heavy-duty use and easy maintenance, these units stand the test of time.


Choose from a wide range of features, based on your own washroom needs. All of these options are easy to install, easy to use, durable and affordably priced.

WHAT MAKES THESE DISPENSERS UNIQUE?




STAINLESS STEEL CONSTRUCTION

Our dispensers are made of stainless steel, which is tough, durable material that is stain-resistant and easy to clean.




TUMBLER LOCKS

Our tumbler locks provide convenience and security with an elegant look.



SAFE EASY DISPENSING

Dispensing and storage options vary, from single roll to multiple rolls or jumbo roll dispensers.



VIEWING SLOT

Slot in front cover of jumbo roll dispensers provides easy visual indication of remaining tissue supply.

TOILET TISSUE DISPENSERS PRODUCT SPECIFICATIONS

FEATURES

- Easy to use and clean
- Spring-loaded chrome roller may apply
- Theft-resistant spindle and vandal-resistant locking device options
- Some models have built-in storage for additional rolls

DIMENSIONS

Unit dimensions vary by model.
See individual product descriptions for details.



 **9030 SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER**

Holds two rolls up to 5¼" (135 mm) diameter (1800 sheets). Top roll automatically drops in place when bottom roll is used up. Type 304 stainless steel cabinet and mechanism. Theft-resistant spindles.

Unit Size:
6" x 12" x 6½"
(152 x 305 x 165 mm)



 **0030 SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER**

Holds two rolls up to 5¼" (135 mm) diameter (1800 sheets). Top roll automatically drops in place when bottom roll is used up. Type 304 stainless steel cabinet and mechanism. Theft-resistant spindles.

Unit Size:
6" x 12" x 6½"
(152 x 305 x 165 mm)



 **0032 DUAL ACCESS PARTITION MOUNTED DUAL ROLL TOILET TISSUE DISPENSER STAINLESS STEEL**

Serves two toilet compartments by mounting through partition. Dispenses 4 toilet tissue rolls. Adjustable to accommodate partitions from ½" to 1¼" thick (13 to 32 mm).

Unit Size: 14" x 14⅞" x 10"
(356 x 359 x 255 mm)

Partition Opening: 12⅞" x 12¼" x ½-2½"
(308 x 311 x 13-64 mm)



 **0031 RECESSED DUAL ROLL TOILET TISSUE DISPENSER**

Similar to 0030, but provided with flange for recess mounting.

Unit Size: 8" x 14" x 6½"
(203 x 356 x 165 mm)

Wall Opening: 6¼" x 12¼" x 3⅞"
(159 x 311 x 86 mm)

TOILET TISSUE DISPENSERS



 **0039 LOW PROFILE SURFACE MOUNTED TWIN 9" JUMBO ROLL TOILET TISSUE DISPENSER**

Holds two 9" (229 mm) diameter rolls of 2¼" or 3" (57 or 76 mm) diameter core. When one roll is depleted, slide panel to expose other roll. Door cabinet and mounting plate fabricated of 18 gauge type 304 stainless steel with a satin finish. Door is hung on heavy-duty stainless steel pivot hinges. Equipped with tumbler lock.

Overall Dimensions:
20½" x 11⅜" x 4⅞"
(521 x 284 x 119 mm)



 **0040 SURFACE MOUNTED TWIN 9" JUMBO ROLL TOILET TISSUE DISPENSER**

Holds two 9" (230 mm) diameter rolls of 2¼" or 3" (57 or 76 mm) diameter core. When one roll is depleted, slide panel to expose other roll. Door cabinet and mounting plate fabricated of 18 gauge type 304 stainless steel with a satin finish. Two viewing slots reveal toilet tissue rolls inside. Equipped with tumbler lock.

Overall Dimensions:
20⅜" x 11⅜" x 6⅞"
(530 x 290 x 160 mm)



 **0042 SURFACE MOUNTED JUMBO ROLL TOILET TISSUE DISPENSER**

Holds one roll up to 10" (254 mm) diameter of 1⅝" or 2¼" (41 or 57 mm) diameter core. Outer cabinet is type 304 stainless steel with a satin finish. Unit has viewing slot and tumbler lock.

Overall Dimensions:
10⅝" x 4½"
(270 x 115 mm)



 **74022-H DOUBLE TOILET TISSUE HOLDER WITH HOOD**

Recessed dual roll toilet paper holder with hood is fabricated of stainless steel type 304. Rollers are made of chrome-plated ABS and spring-loaded.

MODEL OPTIONS:
74022 Same as 74022-H but without hood.

Overall Dimensions:
12½" x 6¼"
(320 x 160 mm)



0263-1 SINGLE ROLL TOILET TISSUE DISPENSER


Single roll toilet tissue dispenser with controlled-delivery spindle. Holds and dispenses all standard core roll tissue up to 6" (152 mm) diameter. Fabricated of heavy-duty aluminum casting with satin-matte, silver-grey finish.

MODEL OPTIONS:

0264-1 Double Roll Toilet Tissue Dispenser.

Overall Dimensions:

6³/₁₆" x 1³/₄" x 4³/₄"
(167 x 44 x 120 mm)



0267 VANDAL-RESISTANT HOOD

14 gauge satin finish stainless steel for use only with 0264-1 (specified and purchased separately).

Unit Size:

14¹/₈" x 7³/₄" x 6¹/₂"
(359 x 197 x 175 mm)



0697-GAL STAINLESS STEEL SHELF AND DOUBLE TOILET TISSUE HOLDER

Shelf, 18 gauge type 304 stainless steel satin finish with front edge hemmed. Holds two 1800 sheet toilet tissue rolls.

Overall Dimensions:

18" x 5"
(460 x 130 mm)



7305-B* SURFACE MOUNTED TOILET TISSUE HOLDER

Type 304 bright finish stainless steel with chrome-plated roller. Heavy gauge concealed bracket mounts on wall. Holds 1800 sheet standard core roll.

7305-S – Satin Finish

7305-S/B Overall Dimensions:

7³/₄" wide
(200 mm)

7305-2S / 2B – Holds 2 rolls.

Overall Dimensions:

13¹/₂" wide
(345 mm)

*For theft-resistant spindle add R-009 after model number.



0715 DOUBLE SURFACE MOUNTED TOILET TISSUE HOLDER CHROME-PLATED STEEL

Provided with vandal-resistant locking device and mechanism to provide controlled delivery. High polish finish. Dispenses two standard or 1800 sheet toilet tissue rolls.

Overall Dimensions:

12³/₈" x 2³/₄" x 4¹/₄"
(315 x 70 x 110 mm)

0710 SINGLE SURFACE MOUNTED TOILET TISSUE HOLDER

Overall Dimensions:

6" x 2³/₄" x 4¹/₄"
(150 x 70 x 110 mm)



7403 EXTRA ROLL RECESSED TOILET TISSUE HOLDER

Spring-loaded chrome roller. Extra roll stored behind roll in use.

MODEL OPTIONS:

7403-B Rec., Bright Stainless Steel

7403-S Rec., Satin Stainless Steel

NOTE: If drywall installation is required, add suffix "D" to model number. If wetwall installation is required, add suffix "W" to model number (no clamp is required for wetwall).

Overall Dimensions:

6¹/₄" x 6¹/₄"
(160 x 160 mm)

TOILET TISSUE DISPENSERS




0402-Z RECESSED TOILET TISSUE HOLDER

Holds any standard core roll tissue up to 5" (127 mm) diameter. Die-cast of Zamac in seamless one-piece construction.

Wall Opening:

5¹/₄" x 5¹/₄" x 2"
(135 x 135 x 50 mm)



0477-SM SURFACE MOUNTED TOILET SEAT COVER DISPENSER

Dispenses 250 single or half-fold seat covers. Fabricated of 22 gauge type 304 stainless steel with satin finish.

Overall Dimensions:

15³/₄" x 11¹/₄" x 2⁵/₈"
(400 x 285 x 67 mm)

0477 RECESSED TOILET SEAT COVER DISPENSER

Door has tumbler lock, dispenses 500 single or half-fold seat covers.

Unit Size:

17¹/₄" x 12³/₄" x 2³/₈"
(440 x 325 x 60 mm)

Wall Opening:

15³/₄" x 11¹/₄" x 2⁵/₈"
(400 x 280 x 67 mm)



20477-SM SURFACE MOUNTED SEAT COVER DISPENSER

Dispenses 250 seat covers. Fabricated of 20 gauge type 304 stainless steel with a satin finish.

Overall Dimensions:

15³/₄" x 11" x 2⁵/₈"
(400 x 280 x 60 mm)



0705-Z TOILET PAPER HOLDER

Fabricated from triple chrome-plated rust resistant Zamac.

Overall Dimensions:

5⁷/₈" x 1⁷/₁₆" x 2³/₄"
(149 x 37 x 70 mm)



7303 EXTRA ROLL TOILET TISSUE HOLDER

Extra roll of paper is placed over the horn type holder. Stainless steel set screw on bottom of flange locks unit to mounting plate.



R-009 THEFT-RESISTANT SPINDLE

Note: R009 Theft-resistant spindle is available for any toilet tissue holder indicated with an asterisk, by adding R009 suffix after model number.



Grab Bars

All ASI grab bars are made in compliance with ADA guidelines for strength requirements. Various configurations feature satin finish 18 gauge type 304 stainless steel (peened or smooth). These single structure units are heliarc welded, and mandrel bending ensures uniform bar diameters.

SHOWN: 3700 SNAP FLANGE



EXPOSED MOUNTING

3400 Series — 1 ¼" (32 mm) O.D.
3500 Series — 1 ½" (38 mm) O.D.

Features include flange of 3" (76 mm) diameter, 1/8" (3 mm) thick type 304 stainless steel with a satin finish; exposed mounting screw holes are drilled and countersunk.



SNAP FLANGE

3700 Series — 1 ¼" (32 mm) O.D.
3800 Series — 1 ½" (38 mm) O.D.

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of 3 1/8" (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples; 1/8" (3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge, 3 3/16" (81 mm) diameter.

GRAB BAR CONFIGURATIONS


The following standard shapes are typical configurations. Grab bars can be custom designed and manufactured to meet any specific architectural requirement.

Designers Note:


For a non-slip surface, specify suffix "P" (peened). When specifying grab bars insert the configuration type numbers listed below into the double zeros at the end of the grab bar series number.

Example 1: A 1½" (38 mm) concealed 18" x 33" (460 x 840 mm) horizontal grab bar has a model number — 3874. When a special size is needed add suffix "M" plus the size, to the closest standard bars.


Example 2: A 1½" (38 mm) concealed 23" x 37" (585 x 940 mm) horizontal grab bar has a model number 3874-M2337.




Type - 01



Type - 02
 A = 52" (1321 mm)
 A = 54" (1372 mm)
 A = 60" (1524 mm)
 A = 72" (1829 mm)




Type - 04
 Left hand shown, right hand opposite



Type - 13




Type - 15




Type - 24




Type - 33
 Right hand shown, left hand opposite




Type - 34



Type - 51



Type - 75



Type - 50 A = 24" (610 mm)
 B = 36" (914 mm)
Type - 56 A = 36" (914 mm)
 B = 54" (1372 mm)
Type - 57 A = 42" (1067 mm)
 B = 54" (1372 mm)

Type - 60 A = 18" (457 mm)
 B = 30" (762 mm)
Type - 62 A = 15½" (403 mm)
 B = 30¾" (784 mm)
Type - 74 A = 18½" (457 mm)
 B = 33½" (838 mm)



Type - 54



Shower/Tub Accessories

ASI provides a full range of shower and tub accessories that show attention to details to address the safety and comfort needs of users. All items—including shower seats and benches, tub seats, soap dishes and shower curtain rods—are designed to ensure secure installation and easy use.

SHOWN: 1214 HEAVY-DUTY SHOWER CURTAIN ROD



0398 RECESSED HEAVY-DUTY STAINLESS STEEL SOAP DISH AND BAR

Type 304 stainless steel unit with bright polished finish exterior and sand blasted finish interior. Includes mounting clamp for stud walls.

Overall Dimensions: 7 $\frac{1}{8}$ " x 5"
(180 x 130 mm) **Wall Opening:** 6 $\frac{1}{8}$ " x 4 $\frac{1}{8}$ " x 4"
(155 x 105 x 100 mm)

MODEL OPTIONS:

0399 Same as 0398, but includes kit for installing in cement wall.

0400 Without bar.

0401 Same as 0400, but includes kit for installing in cement wall.



0410-Z RECESSED SOAP DISH WITH BAR

Die-cast of Zamac in seamless one-piece construction. A plastic soap tray with drying ribs interlocks with housing for retention.

Wall Opening:
5 $\frac{1}{4}$ " x 5 $\frac{1}{4}$ " x 2"
(133 x 133 x 51 mm)

SHOWER/TUB ACCESSORIES



7404 RECESSED SOAP DISH

Seamless one-piece construction fabricated of 22 gauge stainless steel type 304. Provided with a raised lip to retain soap.

Overall Dimensions:

6¼" x 6¼"
(160 x 160 mm)



7410 RECESSED SOAP DISH AND BAR

One-piece construction soap dish fabricated of 22 gauge 304 stainless steel. Includes a bar, held permanently between two posts at top of unit.

Overall Dimensions:

6¼" x 6¼"
(160 x 160 mm)



1204 EXTRA HEAVY-DUTY SHOWER CURTAIN ROD

3" (75 mm) diameter flanges of 20 gauge type 304 stainless steel with satin finish and 1¼" (32 mm) diameter rod of 18 gauge type 304 stainless steel tubing with satin finish. Available in lengths up to 96" (2440 mm); special order on longer lengths.



1214 HEAVY-DUTY SHOWER CURTAIN ROD

20 gauge, 1" (25 mm) diameter rod. Available in lengths up to 72" (1830 mm); for longer lengths, specify 1204.



**1224 CONCEALED MOUNTING
SHOWER CURTAIN ROD**

Chrome-plated brass with satin finish flanges and 1" (25 mm) diameter rod of 20 gauge type 304 stainless steel with satin finish. One flange has set screw to lock rod and prevent rotation. Available in lengths up to 72" (1830 mm); for longer lengths, specify 1204.



**1200-SHU SHOWER CURTAIN
HOOK**

Stainless steel hook for rods 1" (25 mm) and 1¼" (32 mm) diameter.
Size: 1⁹/₁₆" x 2⁵/₈"
(40 x 66 mm)



1200-V VINYL SHOWER CURTAIN

Flame-resistant, anti-bacterial, 8 gauge white vinyl fabric with standard height of 72" (1830 mm). Curtain should be 6" (150 mm) wider than opening up to 48" (1220 mm) and 12" (305 mm) wider than opening exceeding 48" (1220 mm).



8208-R FOLDING SHOWER SEAT

Slats are fabricated with stainless steel in satin finish.

MODEL OPTIONS:

8208-L Similar to 8206-R, but with left hand seat.



0010 CORNER SHOWER SEAT

Seat, support brackets and retainer clip are type 304 satin finish stainless steel. Seat is secured to one wall with full length piano hinge and support on other wall by bracket.

Size: 15³/₄" x 15³/₄"
(400 x 400 mm)

SHOWER/TUB ACCESSORIES



8209 RECTANGULAR PHENOLIC FOUR-LEG FOLD-UP SHOWER BENCH

Seat is white colored, black core phenolic. Frame, mounting bracket and retainer hook are type 304 satin finished stainless steel. Seat is 22½" (572 mm) deep and 48" (1219 mm) wide, projecting 24" (610 mm) from the wall when in the open position. When retracted, legs fold up to provide low profile against wall. ADA compliant.



8206-L FOLDING SHOWER SEAT

(Left Hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly. Seat is ½" (13 mm) thick, one piece solid, white colored, black core phenolic. Frame, support legs, flanges, and bracket are type 304 satin finish stainless steel. Features a reversible self-locking mechanism. Seat measures 33" (840 mm) wide and projects 22⅞" (580 mm) from wall.

MODEL OPTIONS:

8206-R Right hand seat.

8205-L Left hand seat with cushion covered in off-white Naugahyde®.

8205-R Right hand seat with cushion covered in off-white Naugahyde®.



8203 COMPACT FOLDING SEAT

⅝" (8 mm) thick, one-piece, solid, white colored, black core phenolic seat. Frame, support legs, flanges and bracket are type 304 satin finish stainless steel. Features a self-locking mechanism. Seat measures 18" (460 mm) wide and projects 16" (405 mm) from wall.

MODEL OPTIONS:

8204 Seat is sponge cushion covered with off-white Naugahyde® mounted on ½" (13 mm) thick marine grade plywood.

8207 Seat is fabricated of stainless steel, satin finish, slatted design.



8358 FOLDING TUB SEAT

½" (13 mm) thick, solid, white colored, black core phenolic seat. Frame, mounting bracket and retainer hook are type 304 satin finished stainless steel. Seat measures 15" (380 mm) deep and projects 33¾" (860 mm) from wall.

SHOWN: 9013-9 BABY CHANGING STATION



Baby Changing Stations

ASI offers baby safe solutions for baby changing stations. All units are easy to install, durable and sanitary. To meet your washroom needs, we offer numerous choices along with many ADA-compliant models.

WHAT MAKES OUR BABY CHANGING STATIONS UNIQUE?




LARGE WEIGHT CAPACITY

Our baby changing stations have been tested using ASTM F2285-04 and EN 12221-1 protocol for a static load and in addition have been tested to hold a weight in excess of 350 lbs.



ADA ACCESSIBILITY STANDARD COMPLIANT

Our units are engineered to comply with the standards set forth by the American Disabilities Act for accessibility and safety.



EASY OPEN AND CLOSE

Our units are designed for easy one-handed operation and shaped to safely cradle a child's body.



FUNGUS- AND BACTERIA-RESISTANT SOLID PLASTIC

The FDA-approved plastic can be used for our baby changing stations and has been shown to inhibit the growth of bacteria and fungus.

BABY CHANGING STATIONS PRODUCT SPECIFICATIONS

FEATURES

- Easy to install
- Sanitary, safe and strong
- All units fold up; no obstruction when not in use
- Easy to clean

DIMENSIONS

Unit dimensions vary by model.
See individual product descriptions for details.



NEW 9014 HORIZONTAL SURFACE MOUNTED SOLID PLASTIC BABY CHANGING STATION



This horizontal unit has a pull handle and concealed damped gas spring, assisting in easy operation. Can be fabricated of FDA-approved fungus- and bacteria-resistant solid plastic. Unit is ADA compliant and supports a static load of 300 lbs. Its vinyl-coated, adjustable safety strap assures child protection.

Overall Dimensions:

Closed: 35 ⁵ / ₃₂ " x 24 ¹ / ₄ " x 3 ⁷ / ₈ " (893 x 616 x 98 mm)	Open: 35 ⁵ / ₃₂ " x 24 ¹ / ₄ " x 22" (893 x 616 x 559 mm)
--	---



NEW 9015 VERTICAL SURFACE MOUNTED SOLID PLASTIC BABY CHANGING STATION



Vertical format. Unit is ADA compliant and shall support a static load of 300 lbs. and be tested in excess of 350 lbs.

Overall Dimensions:

Closed: 24 ¹ / ₄ " x 35 ⁵ / ₃₂ " x 3 ⁷ / ₈ " (616 x 893 x 98 mm)	Open: 24 ¹ / ₄ " x 35 ⁵ / ₃₂ " x 32 ⁷ / ₈ " (616 x 893 x 835 mm)
--	--



NEW 9018 HORIZONTAL RECESSED MOUNTED STAINLESS STEEL BABY CHANGING STATION



Unit is ADA compliant and shall support a static load of 300 lbs. and be tested in excess of 350 lbs.

MODEL OPTIONS:

9018-9 With stainless steel collar for surface mounting.

Overall Dimensions:

Closed: 39 ⁵ / ₃₂ " x 28 ¹ / ₄ " x 3 ⁵ / ₈ " (995 x 718 x 10 mm)	Open: 39 ⁵ / ₃₂ " x 28 ¹ / ₄ " x 18 ¹ / ₂ " (995 x 718 x 470 mm)
--	--

Wall Opening:

35¹/₂" x 24¹/₂" x 4" min
(902 x 622 x 102 mm)



NEW 9017 VERTICAL RECESSED MOUNTED STAINLESS STEEL BABY CHANGING STATION



This vertical station has a door facing and collar made from 18 gauge 304 stainless steel. Can be fabricated of FDA-approved fungus- and bacteria-resistant solid plastic. ADA compliant and shall support a static load of 300 lbs.

MODEL OPTIONS:

9017-9 With stainless steel collar for surface mounting.

Overall Dimensions:

Closed: 28 ¹ / ₄ " x 39 ⁵ / ₃₂ " x 3 ⁵ / ₈ " (718 x 995 x 10 mm)	Open: 28 ¹ / ₄ " x 39 ⁵ / ₃₂ " x 29 ³ / ₈ " (718 x 995 x 746 mm)
--	--

Wall Opening:

24¹/₂" x 35¹/₂" x 4" min
(622 x 902 x 102 mm)

BABY CHANGING STATIONS



9012 SURFACE MOUNTED BABY CHANGING STATION

Modern styling and easy-to-clean surface is fabricated of 100% high-density polyethylene. Easy opening/closing pneumatic mechanism has oversized hinge and safety stop system. The built-in dispenser for towels or sanitary liners, hooks for diaper bag and purse, plus multi-lingual instructions add friendliness and convenience. Unit is ADA compliant and shall support a static load of 300 lbs. Surface mounted. Only 4" (102 mm) deep when closed.

Overall Dimensions:

Closed:	Open:
36" x 22 ¹ / ₄ " x 4"	36" x 22 ¹ / ₄ " x 20 ⁷ / ₁₆ "
(914 x 565 x 102 mm)	(914 x 565 x 519 mm)



9013 RECESSED STAINLESS STEEL BABY CHANGING STATION

ADA-compliant unit features welded stainless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed operation is assisted by a pull handle and concealed spring. The changing surface is high-impact-resistant plastic for easy cleaning. Its adjustable safety strap and 400 lb. (181 kg) load capacity assures child protection. Complies with Handicapped Accessibility codes.

MODEL OPTIONS:

9013-9 With stainless steel collar for surface mounting.

Overall Dimensions:

Open:	Closed:	Wall Opening:
37" x 25 ¹ / ₂ " x 17 ³ / ₄ "	37" x 25 ¹ / ₂ " x 1 ¹ / ₄ "	34 ¹ / ₄ " x 22 ³ / ₄ " x 3 ³ / ₄ "
(940 x 648 x 451 mm)	(940 x 648 x 6 mm)	(870 x 578 x 95 mm)



NEW 9020 TODDLER SAFETY SEAT

 This solid plastic seat, mounted on the inside of the toilet partition, either on the door or panel, allows a parent to take a toddler into the stall with them. Unit is ADA compliant. Unit shall support a static load of 50 lbs.

Overall Dimensions:

Closed:	Open:
12 ¹ / ₂ " x 21 ³ / ₄ " x 5 ¹ / ₂ "	12 ¹ / ₂ " x 21 ³ / ₄ " x 11 ¹ / ₈ "
(318 x 552 x 140 mm)	(318 x 552 x 283 mm)



Shelves

ASI offers various configurations, sizes and styles, including platform, recessed and folding utility shelving—all sturdy, durable and constructed of stainless steel.

SHOWN: 20692 SURFACE MOUNTED SHELF



0690 SHELF WITH RAISED EDGES

Entire unit is formed of one piece of 18 gauge stainless steel having a $\frac{3}{8}$ " (10 mm) depression with a satin finish.

See chart for standard sizes.

	Model Numbers		
	0690	0692	0694
Standard Sizes:	6" depth (150 mm)	5", 6" or 8" depth (125, 150, 200 mm)	5" depth (125 mm)
Length			
12" (305 mm)		■	■
16" (410 mm)		■	■
18" (460 mm)	■	■	■
24" (610 mm)	■	■	■
30" (760 mm)		■	■
36" (915 mm)		■	■
48" (1220 mm)		■	■
60" (1520 mm)		■	■
72" (1840 mm)		■	

SHELVES



0692 SHELF

Fabricated of 18 gauge stainless steel with a satin finish. Front edge is hemmed for maximum rigidity and safety.

See chart for standard sizes.



0698 FOLDING UTILITY SHELF FOR TOILET COMPARTMENTS

Fabricated of 18 gauge type 304 satin finish stainless steel with raised rim. It returns to upright position when not in use.

Overall Dimensions:

14^{5/8}" x 5^{13/16}"
(370 x 150 mm)



0412 RECESSED SHELF

This unit is fabricated of 22 gauge, all welded construction, stainless steel with a satin finish.

Overall Dimensions:

18" x 8" x 4^{1/4}" min
(457 x 203 x 108 mm)

Wall Opening:

16^{1/2}" x 6^{1/2}" x 4" min
(419 x 165 x 102 mm)



0694 SHELF WITH BACKSPLASH

Fabricated of 18 gauge stainless steel with a satin finish on exposed surfaces with 5" (127 mm) depth.



Custodial Accessories

Fabricated of type 304 satin finish stainless steel, our one-piece constructed custodial accessories—with various configurations of mop and broom holders and utility hooks—help keep necessary cleaning tools and supplies organized and accessible.

SHOWN: 1315-3 SHELF WITH DRYING ROD, MOP HOLDERS, HOOKS



1307-3 UTILITY HOOK STRIP WITH 3 HOOKS 26" (660mm)

Fabricated of type 304 stainless steel with satin finish, this strip is 4" (100 mm) high with edges returning 1/2" (13 mm) to the wall.

MODEL OPTIONS:

- 1307-4** With 4 hooks 36" (915 mm)
- 1307-5** With 5 hooks 46" (1170 mm)
- 1307-6** With 6 hooks 56" (1420 mm)



1308-3 SHELF WITH 4 UTILITY HOOKS AND 3 MOP HOLDERS STRIP 34" (860mm)

Fabricated of type 304 satin finish stainless steel, this shelf is 8" (200 mm) deep with 3/4" (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Unit is 14 1/2" (370 mm) high.

MODEL OPTIONS:

- 1308-4** 4 mop holders/5 utility hooks, 44" (1120 mm) long.



1315-4 UTILITY SHELF WITH DRYING ROD, 4 MOP HOLDERS AND 3 RAG HOOKS, 36" (915 mm)

Fabricated of type 304 satin finish stainless steel, this shelf is 8" (200 mm) deep with 3/4" (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Rod and hooks for wet rags are included.

MODEL OPTIONS:

1315-3 3 mop holders/2 rag hooks, 30" (760 mm)

1315-6 6 mop holders/5 rag hooks, 48" (1220 mm)



1306 HEAVY-DUTY UTILITY HOOK

Heavy-duty 11 gauge stainless steel with satin finish.



0533-48 CORNER GUARD

18 gauge type 304 stainless steel satin finish with 1/8" finish; adhesive mounted.

Overall Dimensions:

48" x 4 1/4" x 4 1/4"
(1220 x 110 x 110 mm)

OTHER SIZES AVAILABLE UPON REQUEST.



8215-5 MOP AND BROOM RACKS

5 holders, 46" (1170 mm) long. Fabricated from one-piece hi-hat channel stainless steel.

MODEL OPTIONS:

8215-3 3 holders, 26" (660 mm) long

8215-4 4 holders, 36" (914 mm) long

SHOWN: 0515 TURNTABLE SPECIMEN PASS BOX



Healthcare Accessories

ASI offers many different items that are specifically designed for healthcare settings. All of these items contribute to providing an organized and hygienic environment for patients and caregivers.


These items include medicine cabinets, specimen and bedpan cabinets, corner guards and surgical soap dispensers. All items are designed for ease of use, safety and durability.

WHAT MAKES OUR HEALTHCARE ACCESSORIES UNIQUE?




STAINLESS STEEL CONSTRUCTION

Our cabinets are made of stainless steel, which is tough, durable, stain-resistant and easy to clean.



CYLINDER LOCK

The design of our cylinder locks allows for the removal of the cylinder for sterilizing or autoclaving when necessary.



CONVENIENT PASSAGE

Our specimen pass box and cabinet enables easy access and safe handling of specimens from patient area to laboratory.



ADJUSTABLE SHELVES

The design of our cabinets offers flexibility with adjustable shelves for ease in storage and use.

HEALTHCARE ACCESSORIES PRODUCT SPECIFICATIONS

FEATURES

- Easy to install
- Hygienic and safe to use
- Durable
- Easy to clean

DIMENSIONS

Unit dimensions vary by model.
See individual product descriptions for details.



0952 RECESSED STAINLESS STEEL MEDICINE CABINET

Swing door mirror frame is type 304 stainless steel with satin finish. Mirror is 1/4" (6 mm), guaranteed for 15 years against silver spoilage. Door has full length piano hinge and magnetic catch. Three removable stainless steel shelves.

Wall Opening:

16" x 22 3/4" x 3 1/2" min
(406 x 578 x 89 mm)

Overall Dimensions:

18 1/4" x 24 1/4"
(465 x 620 mm)

MODEL OPTIONS:

0952-B Larger than 0952.

Overall Dimensions:

24" x 26"
(610 x 660 mm)



0953 SURFACE MOUNTED STAINLESS STEEL MEDICINE CABINET

Swing door cabinet is fabricated of cold rolled steel with white baked enamel finish. Cabinet is provided with two removable shelves.

Overall Dimensions:

18 1/4" x 24 1/4" x 5 1/4"
(464 x 616 x 134 mm)

MODEL OPTIONS:


8338 Smaller and has two adjustable white baked enamel steel shelves.
14 1/8" x 20 3/16" x 5"
(359 x 513 x 125 mm)

8339 Larger than 8338.
16 3/16" x 22 3/16" x 5"
(410 x 565 x 125 mm)



0515 TURNTABLE SPECIMEN PASS BOX

Fabricated of 18 gauge type 304 satin-finish stainless steel. Turntable cylinder is 12" (305 mm) diameter with 10 1/2" x 6" (270 x 150 mm) opening. Stainless steel self-lubricating ball bearing plates mounted on top and bottom permit the unit to rotate freely. Positioned bullet catches prevent uncontrolled rotation. Entire inner assembly is encased in 1" (25 mm) wide trim. Cylinder lock allows for the removal of the cylinder for sterilizing or autoclaving when necessary. Trim is adjustable for wall up to 7" (180 mm) thick.



8154 PASS THROUGH SPECIMEN CABINET

Provides a convenient passage from patient-area into laboratory. Fabricated of 22 gauge type 304 satin-finish stainless steel. Internal latch prevents simultaneous door opening. Stainless steel tray is removable. Mounts in wall thickness of 1 3/4" to 5 1/2" (45 to 135 mm).



0533-48 CORNER GUARD

18 gauge type 304 stainless steel satin finish with 1/8" finish; adhesive mounted.

Overall Dimensions:

48" x 4 1/4" x 4 1/4"
(1220 x 110 x 110 mm)

OTHER SIZES AVAILABLE UPON REQUEST.



0551 RECESSED BEDPAN AND URINAL BOTTLE CABINET

Recessed cabinet is 22 gauge type 304 satin finish stainless steel for storage of bedpan and urinal. Cabinet provided with ½" (13 mm) open space across top and bottom of door to allow air circulation.

MODEL OPTIONS:

0558-1 RECESSED BEDPAN AND WASHBASIN CABINET

Holds one conventional type bedpan and one wash basin.



0349 FOOT OPERATED SURGICAL SOAP DISPENSER

Pneumatic pump mechanism, 32 oz. (.9 L) polyethylene container. Free turning spout is type 316 stainless steel. 96" (245 mm) long vinyl tubing attaches to anti-slip foot pump. Dispenses surgical soaps, antiseptic solutions and synthetic detergents.

Overall Dimensions:

4¼" x 12¾" x 9"
(108 x 324 x 228 mm)

Spout Projection: 4¾" (121 mm)



0557 SURFACE MOUNTED BEDPAN RACK

Surface mounted rack provides convenient storage for one conventional sized bedpan.

Overall Dimensions:

12" x 11"
(300 x 280 mm)

MODEL OPTIONS:

0556 SURFACE MOUNTED BEDPAN AND URINAL RACK

Larger for storing one conventional sized bedpan and one urinal bottle.

0559 SURFACE MOUNTED DOUBLE BEDPAN RACK

Similar to 0556, but designed to hold two conventional sized bedpans.



0350 SURGICAL SOAP DISPENSER

Dispenses antiseptic solutions and synthetic detergent soaps. Chrome-plated brass body. Capacity: 16 oz. (0.5 L) white polyethylene globe.

Overall Dimensions:

3⅜" x 6½" x 5⅛"
(86 x 165 x 130 mm)

SHOWN: 7383 TOWEL SHELF WITH HANGER ROD



Hospitality Accessories

ASI offers a wide range of options to accessorize the washroom setting. These items include towel bars and racks, clothes hooks, shelving and holders. All items are easy to install and easy to clean. These items add a special touch and convenience for washroom users.


WHAT MAKES OUR HOSPITALITY ACCESSORIES UNIQUE?

304

Stainless Steel

STAINLESS STEEL CONSTRUCTION

Our heavy-duty items are made of high-quality 304 stainless steel, which is tough, durable, stain-resistant and easy to clean.



MINIMALISTIC, CONTEMPORARY AND CLASSIC


Different styles allow you to choose what works best to complement your washroom.

LEED®

Friendly

LEED®-FRIENDLY

The robust construction made of type 304 stainless steel is LEED®-friendly and fits our sensibility about longer lifecycle building designs.



REFINED LOOK, RICH FUNCTION

These accessories add a special touch to enhance the user's experience in the washroom setting.

HOSPITALITY ACCESSORIES PRODUCT SPECIFICATIONS

FEATURES

- Easy to install
- Hygienic and safe to use
- Durable
- Easy to clean

DIMENSIONS

Unit dimensions vary by model.
See individual product descriptions for details.



7313 SOAP DISH WITH GLASS HOLDER

Clear glass holder has raised ribs to elevate soap slightly above surface to promote drying. May be removed for cleaning. All other parts of the unit are fabricated of satin-finish stainless steel.

Overall Dimensions:

4⁵/₁₆" DIA x 4⁷/₈"
(107 DIA x 124 mm)



7308 SINGLE ROBE HOOK

Extends 2⁵/₁₆" (59 mm) from wall or door. Suitable for robes, clothing or small bags. Satin finish.



7312 DOUBLE ROBE HOOK

Two hooks, set apart at 90° on center, extend 2⁵/₁₆" (60 mm) from wall or door. Suitable for robes, clothing or small bags. Satin finish.



7314 SINGLE TOILET PAPER ROLL HOLDER

The toilet paper placed on this bail-type holder has unrestricted feed. Its design allows for easy replacement by maintenance or even guests. All exposed surfaces have a satin finish. Paper bar is reversible to change handing.

Overall Dimensions:

5³/₁₆" x 3³/₈" x 2⁵/₁₆"
(131 x 86 x 65 mm)

HOSPITALITY ACCESSORIES



7314-H SINGLE TOILET PAPER ROLL HOLDER WITH HOOD

Satin-finish hood. Hood adds weight for easy tear and also protects paper roll from water droplets.

Overall Dimensions:
5⁵/₈" x 5" x 2³/₁₆"
(149 x 127 x 65 mm)



7316 SPARE TOILET PAPER HOLDER

Holds one roll of toilet paper. Extends 4" (102 mm) from wall. All exposed surfaces have a satin finish.

Overall Dimensions:
3³/₆₄" DIA x 6⁵/₈"
(90 DIA x 167 mm)



0259-SS RECESSED FACIAL TISSUE DISPENSER

Dispenses 300 single-ply or 150 double-ply tissues. Faceplate of type 304 stainless steel satin finish.

Overall Dimensions:
11¹/₁₆" x 6³/₈"
(300 x 160 mm)



7317 COVERED WASTE RECEPTACLE

Freestanding covered garbage can. Lid opens by depressing foot pedal. Plastic pail with wire bail included. Satin-finish stainless steel. Capacity: 2 gal (7.6 L).

Overall Dimensions:
8³/₃₂" DIA x 12³/₄"
(210 DIA x 324 mm)



7387 TOILET BRUSH AND HOLDER

Tube handle, round splash guard and storage cylinder of this wall-mounted unit are fabricated of satin-finish stainless steel. Includes a drip cup at the bottom for easy cleaning. Brush is made of PVC with a polypropylene shaft. 15½" (394 mm) from bottom of base to top of handle and extends 5⅞" (131 mm) from wall. Allows for easy cleaning while maintaining an elegant washroom.

MODEL OPTIONS:

7388 Freestanding. 15" (381 mm) from bottom of base to top of handle.



0712 SURFACE-MOUNTED RETRACTABLE CLOTHES LINE

Polished stainless steel unit has spring actuated 6' (1829 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.



7383 TOWEL SHELF WITH HANGER ROD

Heavy-duty unit with ¾" diameter type 304 stainless steel tubing. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions:

23 ⅝" x 3 ½" x 8 15/16"
(600 x 89 x 227 mm)



7381 SUNDRIES SHELF

Type 304 stainless steel alloy of formed round wire construction and has 25/64" (10 mm) diameter. Solid retainer cross bar as front rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions:

3 35/64" x 12 7/8" x 4 7/16"
(90 x 327 x 114 mm)



7322 SOAP BASKET

Type 304 stainless steel alloy of formed round wire construction and fabricated with heavy gauge solid rectangular cross section formed bar top rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

Overall Dimensions:

11 15/32" x 2 9/32" x 6 ½"
(291 x 58 x 165 mm)



7306 TOWEL RING

Designed for hand towels, this 7" DIA (178 mm) towel ring is formed from a $\frac{3}{8}$ " DIA (9.5 mm) satin-finish stainless steel tube. Extends 2½" (64 mm) from wall.



1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS

Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.

MODEL OPTIONS:

1201-B Curved shower curtain rod with mounting brackets for opposite walls



7307-18 ROUND TOWEL BAR

Satin-finish stainless steel tube and posts with round mounting brackets on ends. Extends 2½" (67 mm) from wall. 18" in length.

MODEL OPTIONS:

7307-24 Same as 7307-18, but 24" (610 mm) in length. $\frac{5}{8}$ " DIA x 24" (67 x 610 mm)



7311 TOWEL SHELF WITH TOWEL BAR


Heavy-duty unit with $\frac{3}{4}$ " and $\frac{3}{8}$ " diameter type 304 stainless steel tubing. Bright finish only. Available 20" (510 mm) and 24" (610 mm). Overall height: 6½" (165 mm); projects 8" (200 mm).



Security Accessories

ASI offers many different items that are specifically designed for settings with high security requirements. Features include design for contraband detection and clothes hooks that release when excessively loaded to deter self-harm actions.

SHOWN: 128-1 BOOK SHELF/CLOTHES HOOK—FRONT MOUNTING



165 GRAB BAR

Tubing 18 gauge and flanges 1/8" (3 mm) thick stainless steel type 304 with satin finish. Closure plate is 1/8" (3 mm) thick. All welded construction. Unit has three holes through each flange for front mounting.



170 RETRACTABLE SHOWER SEAT—FRONT MOUNTING

Seat folds up into cabinet. Fabricated of 12 gauge stainless steel, exposed surfaces have a satin finish. Seat has reinforced channels. Wall sub frame furnished with welded-on masonry anchors. Seat shall have a flush, stainless steel, self-latching pull handle, which is accessible when unit is closed.

Sub Frame Opening:
15" x 15" x 2 3/4"
(380 x 380 x 70 mm)



128-1 BOOK SHELF/CLOTHES HOOK—FRONT MOUNTING

Shelf and back plate are 14 gauge stainless steel type 304 with satin finish. Hooks are 12 gauge stainless steel and back plate is 14 gauge stainless steel. Seams are welded and ground smooth. Hooks snap down for safety if excessively loaded. Unit has six holes through back for front mounting.

Overall Dimensions:
18" x 11" x 8"
(460 x 280 x 200 mm)



122 SQUARE CLOTHES HOOK—REAR MOUNTING

Fabricated of 12 gauge type 304 stainless steel with a satin finish. Back plate is fabricated of 14 gauge stainless steel. If hook is excessively loaded, it will snap down for safety. Unit has four studs welded on back for rear mounting.

Overall Dimensions Projection:
 $4\frac{1}{4}'' \times 4\frac{1}{4}'' \times 2\frac{1}{8}''$
 (110 x 110 x 55 mm)



120 CLOTHES HOOK—FRONT MOUNTING

Bracket 11 gauge, hook 7 gauge type 304 stainless steel with satin finish. If hook is excessively loaded, it will snap down for safety. Unit has four holes through flange for front mounting.

Overall Dimensions:
 $3'' \times 5'' \times 3\frac{1}{16}''$
 (75 x 130 x 80 mm)



110-1 SQUARE RECESSED TOILET TISSUE HOLDER—REAR MOUNTING

Fabricated of 14 gauge type 304 stainless steel with satin finish exterior, glass blasted satin finish interior $4\frac{1}{2}''$ (115 mm) deep accommodates one standard toilet tissue roll. Flange is 7" (180 mm) square.



110 RECESSED TOILET TISSUE HOLDER—REAR MOUNTING

Fabricated of 16 gauge type 304 stainless steel, satin finish exterior, glass blasted satin finish interior. $4\frac{1}{2}''$ (115 mm) interior depth accommodates one standard toilet tissue roll. Hidden contraband causes roll to project from holder allowing detection. Two "T" nuts welded on back for rear mounting.

Overall Dimensions:
 $7\frac{1}{4}''$ (185 mm) diameter

MODEL OPTIONS:
110-A $7\frac{1}{4}''$ (185 mm) diameter



101 FRAMED MIRROR—REAR MOUNTING

Frame 14 gauge type 304 stainless steel with satin finish, corners welded and ground smooth. Unit provided with fiberboard backing and six "T" nuts welded on back for rear mounting. Specify glazing suffix required, visit americanspecialties.com and also specify wall thickness if greater than 6" (150 mm).

Overall Dimensions:
 12" x 16" x 5/8"
 (305 x 405 x 16 mm)



104 FRAMED MIRROR—FRONT MOUNTING

Unit consists of wall mounting plate fabricated of 7 gauge type 304 stainless steel with four countersunk mounting holes and eight tapped holes. Formed mirror fabricated of 18 gauge type 304 stainless steel with #8 mirror polish finish provided with eight dimpled holes through integral frame and 1/4-20 x 1/4" Torx® head screws for securing to wall mounting plate.

Overall Dimensions:
 10 1/16" x 11 1/16" x 7/16"
 (255 x 290 x 11 mm)



105 FRAMED MIRROR—FRONT MOUNTING

Frame 14 gauge type 304 stainless steel with satin finish, corners welded and ground smooth. Front mounting furnished with Torx® vandal resistant 1/4-20" x 2 (150 mm) machine screws. Visit americanspecialties.com for glazing options.

Overall Dimensions:
 12" x 16" x 5/8"
 (305 x 406 x 16 mm)



129 CLOTHES/TOWEL HOOK STRIP—FRONT MOUNTING

Fabricated of 14 gauge stainless steel type 304 with satin finish. Hooks snap down for safety if excessively loaded. Six holes through back for front mounting.

Overall Dimensions:
 18" long x 5 1/2" x 2 1/8"
 (460 x 140 x 55 mm)



127 CLOTHES/TOWEL HOOK STRIP—FRONT MOUNTING

Wall plate 14 gauge with beveled edges, 11 gauge brackets and four 7 gauge hooks. Stainless steel type 304 with satin finish. Hooks snap down for safety if excessively loaded. Unit has six mounting holes through back for front mounting.

Overall Dimensions:
11" x 5½" x 3/8"
(280 x 140 x 80 mm)



130 RECESSED SHELF—REAR MOUNTING

Shelf 16 gauge type 304 stainless steel, corners welded and ground smooth. 1" (25 mm) wide beveled satin finish trim. Interior glass blasted finish. Unit has four studs welded on back for rear mounting.

Overall Dimensions:
5½" x 16½"
(141 x 419 mm)

Wall Opening:
5½" x 16½"
(141 x 419 mm)



140 REAR MOUNTING RECESSED SOAP DISH

Soap dish 16 gauge stainless steel type 304 with satin finish. One-piece drawn construction with beveled trim and embossments for air circulation and drainage. Unit has two "T" nuts welded on back for rear mounting.

Overall Dimensions:
7¾" X 6"
(215 x 155 mm)

Wall Opening:
6½" x 5 x 2¾" min
(165 x 127 x 70 mm)



107 ONE-PIECE FRAMED MIRROR WITH ROUNDED CORNERS—FRONT MOUNTING

One-piece 18 gauge type 304 stainless steel formed mirror with #8 mirror polish finish, integral frame, rounded corners and six mounting holes.

Overall Dimensions:
12" x 16" x ¼"
(305 x 405 x 6 mm)

INDEX OF PRODUCTS BY CATEGORY

BABY CHANGING STATIONS

Model	Page
9012	75
9013	16/75
9013-9	72/75
9014	74
9015	74
9017	74
9017-9	74
9018	74
9018-9	74
9020	75

CUSTODIAL ACCESSORIES

Model	Page
0533-48	79/82
1306	79
1307	78
1307-3	78
1307-4	78
1307-5	78
1307-6	78
1308-3	78
1308-4	78
1315-3	78/79
1315-4	79
1315-6	79
8215-3	79
8215-4	79
8215-5	79

FEMININE HYGIENE VENDORS AND DISPOSALS

Model	Page
0464	53
0468	52/53
0468-2	53
04684	53
0864	53
20470	14/53
204684	16/53
204684-9	16/53
20852	14/53
6468	31/52
64684	31
6471	31/53
9468	22
94684	22
9471	23/52

GRAB BARS

Model	Page
3400/3500	66
3700/3800	66

HAND DRYERS

Model	Page
0134	28/44
0141	45
0185	45
0195	45
0197	44
0199	44
20199	17
20200	17/42/43

20201	17/43
64672	27/45

HEALTHCARE ACCESSORIES

Model	Page
0349	83
0350	83
0515	80/82
0551	83
0556	83
0557	83
0558-1	83
0559	83
0952	82
0952-B	82
0953	82
8154	82
8338	82
8339	82

HOSPITALITY ACCESSORIES

Model	Page
0259-SS	87
0712	88
1201	89
1201-A	89
1201-B	89
7306	89
7307-18	89
7307-24	89
7308	86
7311	89
7312	86
7313	86
7314	86
7314-H	87
7316	87
7317	87
7322	88
7381	88
7383	84/88
7387	88
7388	88

MIRRORS

Model	Page
0535	50
0537	50
0600	50/51
0600T	50/51
0605	50/51
0620	50/51
0625	50/51
20650	50/51
20650-B	50/51
20655	17/50
20655-B	50
8026	50/51

PAPER TOWEL DISPENSERS

Model	Page
0210	39
0215	39
0245-SS	39
0439	39

0452	38
0452-9	38
0457	38
0457-9	38
045224	38
045224-9	38
045224A	38
045224A-9	38
04523	38
04523-9	38
04523A	38
04523A-9	38
1002	41
20210	15
20452	15
204523A	15
6452	30
6452-9	30
6457	30
8165	39
8522	39
8523A	39
9452	22
9457	22
94696A	21

PAPER TOWEL DISPENSERS & WASTE RECEPTACLES

Model	Page
0462-AD	34
0462-AD-9	34
0467	36
0467-2	36
0467-9	36
0469	32/34
0469-2	34
0469-9	34
0469-BL	34
04692	35
04692-6	35
04692-9	35
04692A	35
04692A-6	35
04692A-9	35
046921	37
046921-6	37
046921-9	37
046921A	37
046921A-6	37
046921A-9	37
046924	37
046924-9	37
046924A	37
046924A-9	37
04693	36
04693-6	36
04693-9	36
04697	35
04697-4	35
04697-9	35
04697-BL	35
1001	41
204623	12
204623-9	12
20469	10/12/18
20469-9	12
204692A	13
2046921A	13

6462	26
6462-2	26
6462-9	26
64623	28
64623-9	28
6467	24/26
6467-9	26
64672	27/45
64676	27
64676-2	27
64676-9	27
64696	29
64696-6	29
64696-9	29
64696A	29
64696A-6	29
64696A-9	29
9462	20
94623	22
9467	21
94676	21
9469	20

SECURITY ACCESSORIES

Model	Page
101	92
104	92
105	92
107	93
110	91
110-1	91
110-A	91
120	91
122	91
127	93
128-1	90
129	92
130	93
140	93
165	90
170	90

SHELVES

Model	Page
0412	77
0690	76
0692	76/77
0694	76/77
0698	77
20692	17/76

SHOWER/TUB ACCESSORIES

Model	Page
0010	70
0398	68
0399	68
0400	68
0401	68
0410-Z	68
1200-SHU	70
1200-V	70
1204	69/70
1214	68/69
1224	70
7404	69
7410	69
8203	71
8204	71

8205-L	71
8205-R	71
8206-L	71
8206-R	70/71
8207	71
8208-L	70
8208-R	70
8209	71
8358	71

SOAP DISPENSERS

Model	Page
0326	48
0327	48
0332	49
0332-C	49
0332-CD	49
0332-D	49
0345	49
0346	48
0347	49
0349	48
0350	83
0360	48
0361	48
0362	48
0363	48
0390	46
20333	49
20363	49
20364	49
20365	49
5001-SS	48
5002	48
6326	31
9326	23
9343	16/23/49

SPECIALTY ACCESSORIES

Model	Page
0002-SM	59
0258-SS	59
0259-SS	59
0481	59
04813	59
0484-HC	59
0712	57
0714	55
0719	58
0721-Z	58
0735-Z	58
0740-Z	55
0745-Z	56
0751	55
0751-A	55
0755-SS	56
0755-Z	58
0760-Z	56
0785-Z	54
7301	54
7310	57
7311	57
7320	58
7335	58
7340	55
7345	56
7355	57
7382	55
7385	54
8425	55

TOILET TISSUE DISPENSERS

Model	Page
0030	62
0031	62
0032	62
0039	63
0040	63
0042	63
0263-1	64
0264-1	63
0267	64
0402-Z	65
0477	65
0477-SM	65
0697-GAL	64
0705-Z	65
0710	64
0715	64
20030	15
20477-SM	16/65
6477	31
7303	65
7305-2B	64
7305-2S	64
7305-B	64
7305-S	64
7307	65
74022	64
74022-H	60/63
7403	64
7403-B	63
7403-S	63
9030	23/62
9031	23
9477	23
9477-SM	23
R-009	65

WASTE RECEPTACLES

Model	Page
0458	38
0458-CX	38
0458-DX	38
0458-9	38
04733	38
0810	40
0811	40
0812	40
0813	40
0825	40
0826	40
0827	40
0828	40
0829	40
1000	41
1000A	41
1003	41
20458	14
20826	14
6459	30
6474	30
6474-2	30
9459	22
94623	22
94696A	21
9474	22

INDEX OF PRODUCTS BY MODEL NUMBERS

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
0002-SM	59	04684	53	0811	40	2046921A	13	7381	88
0010	70	0469	32/34	0812	40	20470	14/53	7382	55
0030	62	0469-2	34	0813	40	20477-SM	16/65	7383	84/88
0031	62	0469-9	34	0825	40	20650	50/51	7385	54
0032	62	0469-BL	34	0826	40	20650-B	50/51	7387	88
0039	63	04692	35	0827	40	20655	17/50	7388	88
0040	63	04692-6	35	0828	40	20655-B	50	74022	64
0042	63	04692-9	35	0829	40	20692	17/76	74022-H	60/63
0134	28/44	04692A	35	0864	53	20826	14	7403	64
0141	45	04692A-6	35	0952	82	20852	14	7403-B	63
0185	45	04692A-9	35	0952-B	82	3400 SERIES	66	7403-S	63
0195	45	046921	37	0953	82	3500 SERIES	66	7404	69
0197	44	046921-6	37	101	92	3700 SERIES	66	7410	69
0199	44	046921-9	37	104	92	3800 SERIES	66	8026	51
0210	39	046921A	37	105	92	5001-SS	48	8154	82
0215	39	046921A-6	37	107	93	5002	48	8165	39
0245-SS	39	046921A-9	37	110	91	6326	31	8203	71
0258-SS	59	046924	37	110-1	91	6452	30	8204	71
0259-SS	59/87	046924-9	37	110-A	91	6452-9	30	8205-L	71
0263-1	64	046924A	37	120	91	6457	30	8205-R	71
0264-1	63	046924A-9	37	122	91	6459	30	8206-L	71
0267	64	04693	36	127	93	6462	26	8206-R	70/71
0318	48	04693-6	36	128-1	90	6462-2	26	8207	71
0318-A	48	04693-9	36	129	92	6462-9	26	8208-L	70
0326	48	04697	35	130	93	64623	28	8208-R	70
0327	48	04697-4	35	140	93	64623-9	28	8209	71
0332	49	04697-9	35	165	90	6467	24/26	8215-3	79
0332-C	49	04697-BL	35	170	90	6467-9	26	8215-4	79
0332-CD	49	04733	38	1000	41	64672	27/45	8215-5	79
0332-D	49	0477	65	64676	27	64676	27	8338	82
0347	49	0477-SM	65	1001	41	64676-2	27	8339	82
0349	48/83	0481	59	1002	41	64676-9	27	8358	71
0350	49/83	04813	59	1003	41	6468	31/52	8425	55
0360	48	0484-HC	59	1200-SHU	70	64684	31	8522	39
0361	48	0515	80/82	1200-V	70	64696	29	8523A	39
0362	48	0533-48	79/82	1201	89	64696-6	29	9012	75
0363	48	0535	50	1201-A	89	64696-9	29	9013	16/75
0390	46/47	0537	50	1201-B	89	64696A	29	9013-9	72/75
0398	68	0551	83	1204	69/70	64696A-6	29	9014	74
0399	68	0556	83	1214	68/69	64696A-9	29	9015	74
0400	68	0557	83	1224	70	6471	31/53	9017	74
0401	68	0558-1	83	1306	79	6474	30	9017-9	74
0402-Z	65	0559	83	1307-3	78	6474-2	30	9018	74
0410-Z	68	0600	50/51	1307-4	78	6477	31	9018-9	74
0412	77	0600T	50/51	1307-5	78	7301	54	9020	75
0439	39	0605	50/51	1307-6	78	7303	65	9030	23/62
0452	38	0620	50/51	1308-3	78	7305-2B	64	9031	23
0452-9	38	0625	50/51	1308-4	78	7305-2S	64	9326	23
045224	38	0690	76	1315-3	78/79	7305-B	64	9343	16/23/49
045224-9	38	0692	76/77	1315-4	79	7305-S	64	9452	22
045224A	38	0694	76/77	1315-6	79	7306	89	9457	22
045224A-9	38	0697-GAL	64	20030	15	7307	65/87	9459	22
04523	38	0698	77	20199	17	7307-18	89	9462	20
04523-9	38	0705-Z	65	20200	17/42/43	7307-24	89	94623	22
04523A	38	0710	64	20201	17/43	7308	86	9467	21
04523A-9	38	0712	57/88	20210	15	7310	57	94676	21
0457	38	0714	55	20333	49	7311	57/89	9468	22
0457-9	38	0715	63	20363	49	7312	86	94684	22
0458	38	0719	58	20364	49	7313	86	9469	20
0458-9	38	0721-Z	58	20365	49	7314	86	94696	21
0458-CX	38	0735-Z	58	20452	15	7314-H	87	94696A	21
0458-DX	38	0740-Z	55	204523A	15	7315	64/87	9471	23/52
0462-AD	34	0745-Z	56	20458	14	7316	87	9474	22
0462-AD-9	34	0751	55	204623	12	7317	87	9477	23
0464	53	0751-A	55	204623-9	12	7320	58	9477-SM	23
0467	36	0755-SS	56	204684	16/53	7322	88	R-009	64
0467-2	36	0755-Z	58	204684-9	16/53	7335	58		
0467-9	36	0760-Z	56	20469	10/12/18	7340	55		
0468	52/53	0785-Z	54	20469-9	12	7345	56		
0468-2	53	0810	40	204692A	13	7355	57		





441 Saw Mill River Rd., Yonkers, NY 10701
914.476.9000 • americanspecialties.com